

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











TT-812 - Low Torque Termination Tool - Data Sheet

Tightens F-Connectors Right The First Time and Every Time. This indoor torque tool is great for connecting coax connectors to consumer electronic devices with the proper amount of torque.

Features and Benefits:

- . Tool is small and compact for getting into tight spaces. 1 3/8" tall and 7/8" diameter.
- Glass filled nylon material "work hardens" with use.
- Tightens F connectors to 8 to 12 in-lbs of torque (vs. finger tight, which typically produces just 1 to 3 in-lbs of torque).
- Consistent torque applied, regardless of the installer.
- . Eliminates damage to consumer electronic devices due to overtightened connectors.
- Prevents service truck rolls caused by loose connectors. Helps prevent signal loss, ingress / egress

Patented



Specifications	
Head Type	Full
Size	7/16"
Torque	12 in-lbs (1.36 NM)
Diameter	7/8"
Height	1 3/8"
Weight	0.035 lbs
UPC No	811490017306
Patent No.	7347129