Chipsmall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832
Email & Skype: info@chipsmall.com Web: www.chipsmall.com
Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

HellermannTyton

Specification Sheet

Part Number: TT100OUTSM

Thermal Transfer Ribbon, Soft Resin, 4.33" x 242', .50" Core, PET, Black, 1/pkg

Article Number	556-00169
Type	TT100OUTSM
Color	Black (BK)
Features & Benefits	• Ribbons are resin based for the best print durability. • Ribbons are available to fit all HellermannTyton printers for easy resupply. • Ribbons are available in colors for maximizing design printing capabilities. • Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.
Quantity Per	EA
Product Description	HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description	Thermal Transfer Ribbon, Soft Resin, 4.33" x 242', .50" Core, PET, Black, 1/pkg
Global Part Name	TT100OUTSM-PET-BK
Length L (Imperial)	242.0
Length L (Metric)	74.0
Variant	Colored ribbon
Width W (Imperial)	4.33
Width W (Metric)	110.0
Material	Polyester Film
Material Shortcut	PET
Halogen free	No
Operating Temperature (Metric)	+40°F to +300°F (+4°C to +82°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	1

Package Quantity (Metric)	1
Customs Number	9612101000
Content Unit(BMEcat)	pcs.
Weight (Metric)	0.30
Weight (Imperial)	0.662

Contact Us   RoHS/WEEE Compliance   Disclaimer   Terms and Conditions