



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Switchcraft®

[Previous Page](#) | [Return to Index](#) | [Next Page](#)



MINIATURE TT® MOLDED PATCH CORDS

- 1. Series TT100
- 2. Series TT120
- 3. Series TT140

[click here to download a schematic drawing](#)

(you will need to have Adobe Acrobat installed on your system to do this)



Available in a variety of types and lengths to meet requirements of communication, industrial and telephone applications. Patch cords designed to be used in "tini- telephone" jack panels. Constructed of high quality cadmium bronze conductors with thermoplastic insulating material. Braided shield offers 70- 80% coverage. All plugs are molded of flexible thermoplastic (in gray or colors) with non- slip finger grip areas. All cords (gray or colors) have a label identifying Switchcraft part number and length. Plug fingers are natural or nickel- plated copper alloy.

SERIES TT100 2- CONDUCTOR PATCH CORDS

Single- conductor shielded cable with 2- conductor phone plug molded at each end. Shield is grounded to sleeve of each plug; wiring is tip- to- tip. Plug fingers are brass; handles and cable are gray.

SERIES TT120 3- CONDUCTOR PATCH CORDS

2- conductor shielded cable with 3- conductor phone plug molded at each end. Shield is grounded to sleeve of each plug; wiring is tip- to- tip and ring- to- ring. Plug fingers are brass or nickel; handles and cable are gray or colored.

Part Numbers⁴		Length¹ feet(m)
Series TT100	Series TT120	
TT101*	TT121	0.5 (.152)
TT102*	TT122	1.0 (.305)
TT103*	TT123	1.5 (.457)
TT104	TT124	2.0 (.610)
TT105*	TT125*	2.5 (.762)
TT106*	TT126	3.0 (.914)

TT107	TT127	4.0 (1.219)
TT108	TT128	5.0 (1.524)
TT109*	TT129	6.0 (1.829)
TT110*	TT130*	7.0 (2.134)
TT111*	TT131*	8.0 (2.438)
TT112*	TT132*	9.0 (2.743)
TT113*	TT133*	10.0 (3.05)
TT114*	TT134*	11.0 (3.353)
TT115*	TT135*	12.0 (3.658)

*Special order only; contact Switchcraft for prices and delivery.

SERIES TT140 2-CONDUCTOR TWIN PATCH CORDS

2-conductor shielded cable and a pair of 2-conductor phone plug fingers molded at each end. Sleeve circuits are common and attached to shield. Wiring is tip-to-tip for each finger. Flexible handles permit self-alignment by compensation for any variation of jack mounting centers.

SERIES TT160 3-CONDUCTOR TWIN PATCH CORDS

Similar to Series TT140, except uses a 4-conductor shielded cable with a pair of 3-conductor phone plug fingers molded to each end. Circuits are wired tip-to-tip and ring-to-ring.

SPECIFICATIONS

Cable: Plastic jacket, cadmium bronze conductors, braided shield.

Jacket color: gray. Other colors available on special order.

Plugs: Tip Rod, Ring and Sleeve - Copper alloy.

Handle: Molded thermoplastic. Handle color: gray. Other colors available (on special order for TT100, TT140, TT160).

ORDERING

1. Order by part number
2. For special order items, contact Switchcraft with details.

		Length
--	--	---------------

Part Number Series TT120	Description^{2,3}	feet (m)¹
TT121N0	Nickel-plated plug fingers, black handles and cord.	0.5 (.152)
TT122N0		1.0 (.305)
TT123N0		1.5 (.457)
TT124N0		2.0 (.610)
TT125N0*		2.5 (.762)
TT126N0		3.0 (.914)
TT127N0		4.0 (1.219)
TT128N0		5.0 (1.524)
TT129N0		6.0 (1.829)

¹ Length of patch cord is measured from rear of molded plug handle to the rear of molded plug handle at opposite end.

² For brass fingers on plugs, substitute "B" for "N" in part number. Special order only.

³ "0" in part numbers denotes black handles and cord. Substitute the following for "0" to specify other colors: 2-Red 5-Green 4-Yellow 6-Blue

⁴ Special order only. Plug fingers are brass.

Part Numbers		Length feet (m)
Series TT140	Series TT160	
TT141*	TT161	0.5 (.152)
TT142*	TT162	1.0 (.305)
TT143*	TT163	1.5 (.457)
TT144*	TT164	2.0 (.610)
TT145*	TT165	2.5 (.762)
TT146*	TT166	3.0 (.914)
TT147*	TT167	4.0 (1.219)
TT148*	TT168	5.0 (1.524)
TT149*	TT169	6.0 (1.829)

TT150*	TT170*	7.0 (2.134)
TT151*	TT171*	8.0 (2.438)
TT152*	TT172*	9.0 (2.743)
TT153*	TT173*	10.0 (3.05)
TT154*	TT174*	11.0 (3.353)
TT155*	TT175*	12.0 (3.658)

*Special order only; contact Switchcraft for prices and delivery.

[Previous Page](#) | [Return to Index](#) | [Next Page](#)

To search a category please click on the corresponding icon:



| [Connectors](#) | [Jacks and Plugs](#) |
| [Patch Panels, Patch Kits & Jackfields](#) | [Cable Assemblies and Patch Cords](#) | [Switches](#) |

All products shown are covered by Switchcraft's limited lifetime warranty.

| [Switchcraft home](#) |
[About Us](#) | [Products](#) | [What's New](#) | [Search](#) | [Contact Us](#)