

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







### HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

#### **Specification of Glass NTC Thermistor**

PART NUMBER: TT2-100KC3H-7


No. of pages: 4

Date: 24.09.2015 Revision: 00

#### **FEATURES:**

Sensing Elemen	nt	Glass NTC Thermistor					
No-load resistance a	t 25°C	100 000 Ω					
Tolerances at 25	°C	± 1%					
Beta(25/85) Const	tant		4066K ±2%				
Operating temperatur	re range		-40°C ÷ 300°C				
Dissipation consta	ant	0.7	7~1.2mW/°C (min, in	air)			
Thermal time const	tant	3.5	~6.5sec (max, in still	air)			
RoHS Compatib	le		YES				

#### DRAWING:



website: www.tewa-sensors.com email: info@tewa-sensors.com

# TEWA TEMPERATURE SENSORS HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-100KC3H-7

**R/T CHARACTERISTIC:** 

T(°C)	Rmin(k0)	Rcent(I/O)	Rmax(kΩ)	DR(%)	DT(°C)	T(°C)	Rmin(k0)	Rcent(kΩ)	Rmay(IO)	DR(%)	DT(°C)
-40	2972.9	3218.9	3484.8	8.26%	1.21	21	117.989	119.608	121.238	1.36%	0.30
-39	2790.2	3017.1	3262.1	8.12%	1.20	22	112.885	114.332	115.785	1.27%	0.28
-38	2619.82	2829.2	3055.1	7.98%	1.19	23	108.028	109.314	110.604	1.18%	0.26
-37	2460.99	2654.33	2862.56	7.85%	1.17	24	103.404	104.541	105.680	1.09%	0.24
-36	2312.83	2491.36	2683.41	7.71%	1.16	25	99.000	100.000	101.000	1.00%	0.23
-35	2174.53	2339.45	2516.62	7.57%	1.15	26	94.638	95.679	96.721	1.09%	0.25
-34	2045.39	2197.76	2361.25	7.44%	1.14	27	90.490	91.565	92.644	1.18%	0.27
-33	1924.72	2065.54	2216.44	7.31%	1.13	28	86.544	87.649	88.759	1.27%	0.29
-32	1811.93	1942.10	2081.41	7.17%	1.11	29	82.790	83.920	85.056	1.35%	0.31
-31	1706.44	1826.80	1955.44	7.04%	1.10	30	79.216	80.367	81.526	1.44%	0.34
-30	1607.74	1719.04	1837.86	6.91%	1.09	31	75.815	76.982	78.160	1.53%	0.36
-29	1515.34	1618.29	1728.06	6.78%	1.08	32	72.576	73.757	74.949	1.62%	0.38
-28	1428.81	1524.05	1625.48	6.66%	1.06	33	69.492	70.682	71.886	1.70%	0.40
-27	1347.74	1435.86	1529.59	6.53%	1.05	34	66.553	67.751	68.963	1.79%	0.43
-26	1271.74	1353.29	1439.93	6.40%	1.04	35	63.754	64.956	66.174	1.88%	0.45
-25	1200.48	1275.95	1356.04	6.28%	1.03	36	61.085	62.289	63.511	1.96%	0.47
-24	1133.62	1203.48	1277.53	6.15%	1.01	37	58.542	59.745	60.968	2.05%	0.50
-23	1070.87	1135.55	1204.01	6.03%	1.00	38	56.117	57.318	58.539	2.13%	0.52
-22	1011.95	1071.83	1135.14	5.91%	0.99	39	53.804	55.001	56.219	2.21%	0.54
-21	956.61	1012.06	1070.61	5.79%	0.97	40	51.597	52.789	54.002	2.30%	0.57
-20	904.61	955.95	1010.10	5.66%	0.96	41	49.492	50.677	51.884	2.38%	0.59
-19	855.72	903.26	953.35	5.55%	0.94	42	47.483	48.659	49.859	2.47%	0.62
-18	809.75	853.78	900.10	5.43%	0.93	43	45.566	46.732	47.923	2.55%	0.64
-17	766.51	807.27	850.12	5.31%	0.92	44	43.735	44.890	46.071	2.63%	0.66
-16	725.81	763.56	803.19	5.19%	0.90	45	41.987	43.130	44.300	2.71%	0.69
-15	687.49	722.45	759.11	5.07%	0.89	46	40.317	41.448	42.606	2.79%	0.71
-14	651.41	683.78	717.69	4.96%	0.87	47	38.721	39.839	40.985	2.88%	0.74
-13	617.41	647.38	678.74	4.84%	0.86	48	37.197	38.301	39.433	2.96%	0.76
-12	585.37	613.12	642.12	4.73%	0.85	49	35.740	36.829	37.948	3.04%	0.79
-11	555.16	580.86	607.67	4.62%	0.83	50	34.347	35.421	36.526	3.12%	0.81
-10	526.68	550.46	575.26	4.50%	0.82	51	33.015	34.074	35.164	3.20%	0.84
-9	499.81	521.81	544.74	4.39%	0.80	52	31.741	32.785	33.859	3.28%	0.87
-8	474.44	494.81	516.00	4.28%	0.79	53	30.522	31.550	32.609	3.36%	0.89
-7	450.50	469.35	488.93	4.17%	0.77	54	29.356	30.368	31.412	3.44%	0.92
-6	427.90	445.33	463.42	4.06%	0.76	55	28.241	29.236	30.264	3.51%	0.94
-5	406.54	422.66	439.37	3.95%	0.74	56	27.173	28.152	29.164	3.59%	0.97
-4	386.36	401.26	416.70	3.85%	0.72	57	26.150	27.113	28.108	3.67%	1.00
-3	367.29	381.06	395.31	3.74%	0.71	58	25.171	26.118	27.097	3.75%	1.02
-2	349.26	361.98	375.13	3.63%	0.69	59	24.234	25.163	26.126	3.83%	1.05
-1	332.21	343.96	356.08	3.53%	0.68	60	23.335 22.475	24.249	25.195	3.90%	1.08
1	316.07 300.80	326.92 310.81	338.10 321.12	3.42%	0.66 0.65	61 62	21.650	23.372 22.530	24.302 23.444	3.98% 4.06%	1.10 1.13
2	286.35	295.58	305.08	3.21%		63	20.859	21.723	22.621	4.13%	1.13
_	272.67		289.92		0.63	64	20.859	20.949	21.831		
4	259.70	281.17 267.54	275.59	3.11%	0.61 0.60	65	19.375	20.949	21.031	4.21% 4.28%	1.19 1.21
5	247.42	254.64	262.04	2.91%	0.58	66	18.678	19.494	20.343	4.36%	1.24
6	235.79	242.42	249.22	2.80%	0.56	67	18.009	18.809	19.643	4.43%	1.27
7	224.76	230.86	237.10	2.70%	0.55	68	17.368	18.152	18.970	4.51%	1.30
8	214.30	219.90	225.63	2.60%	0.53	69	16.752	17.521	18.324	4.58%	1.33
9	204.38	209.52	214.77	2.51%	0.51	70	16.161	16.915	17.702	4.65%	1.36
10	194.966	199.678	204.483	2.41%	0.50	71	15.594	16.333	17.105	4.73%	1.39
11	186.035	190.349	194.743	2.31%	0.48	72	15.049	15.773	16.530	4.80%	1.41
12	177.558	181.503	185.516	2.21%	0.46	73	14.526	15.235	15.978	4.87%	1.44
13	169.510	173.111	176.772	2.11%	0.44	74	14.024	14.719	15.447	4.95%	1.47
14	161.866	165.150	168.483	2.02%	0.43	75	13.5410	14.222	14.935	5.02%	1.50
15	154.605	157.594	160.625	1.92%	0.41	76	13.0771	13.7441	14.444	5.09%	1.53
16	147.706	150.422	153.171	1.83%	0.39	77	12.6314	13.2846	13.9702	5.16%	1.56
17	141.150	143.611	146.101	1.73%	0.37	78	12.2029	12.8427	13.5146	5.23%	1.59
18	134.916	137.143	139.392	1.64%	0.35	79	11.7910	12.4175	13.0760	5.30%	1.62
19	128.989	130.998	133.024	1.55%	0.34	80	11.3948	12.0083	12.6536	5.37%	1.65
20	123.352	125.158	126.979	1.45%	0.32						
		•	•				•	•			

website: www.tewa-sensors.com email: info@tewa-sensors.com

# TEWA TEMPERATURE SENSORS HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-100KC3H-7

R/T CHARACTERISTIC:

T(°C)	Rmin(kΩ)	Rcent(kQ)	Rmax(kΩ)	DR(%)	DT(°C)	T(°C)	Rmin(kΩ)	Rcent(kΩ)	Rmax(kΩ)	DR(%)	DT(°C)
81	11.0139	11.6146	12.2469	5.44%	1.68	141	1.8677	2.0393	2.2265	9.2%	3.80
82	10.6474	11.2356	11.8551	5.51%	1.71	142	1.8203	1.9885	2.1721	9.2%	3.84
83	10.2948	10.8707	11.4777	5.58%	1.74	143	1.7743	1.9392	2.1193	9.3%	3.88
84	9.9555	10.5194	11.1140	5.65%	1.77	144	1.7296	1.8913	2.0680	9.3%	3.92
85	9.6290	10.1810	10.7636	5.72%	1.81	145	1.6862	1.8448	2.0182	9.4%	3.96
86	9.3147	9.8551	10.4258	5.79%	1.84	146	1.6441	1.7997	1.9697	9.5%	4.00
87	9.0121	9.5411	10.1002	5.86%	1.87	147	1.6032	1.7558	1.9227	9.5%	4.04
88	8.7207	9.2386	9.7862	5.93%	1.90	148	1.5635	1.7132	1.8769	9.6%	4.04
89	8.4401	8.9470	9.4834	6.00%	1.93	149	1.5250	1.6717	1.8324	9.6%	4.12
90	8.1697	8.6660	9.4034	6.06%	1.96	150	1.4875	1.6315	1.7892	9.7%	4.12
91	7.9093	8.3950	8.9097	6.13%	1.99	151	1.4512	1.5924	1.7471	9.7%	4.17
					_						
92	7.6584	8.1338	8.6379	6.20%	2.03	152	1.4158	1.5543	1.7062	9.8%	4.25
93	7.4165	7.8819	8.3757	6.26%	2.06	153	1.3815	1.5174	1.6665	9.8%	4.29
94	7.1834	7.6390	8.1226	6.33%	2.09	154	1.3482	1.4815	1.6278	9.9%	4.33
95	6.9587	7.4046	7.8783	6.40%	2.12	155	1.3157	1.4465	1.5902	9.9%	4.38
96	6.7420	7.1785	7.6424	6.46%	2.16	156	1.2842	1.4126	1.5536	10.0%	4.42
97	6.5330	6.9603	7.4147	6.53%	2.19	157	1.2536	1.3795	1.5180	10.0%	4.46
98	6.3315	6.7497	7.1948	6.59%	2.22	158	1.2238	1.3474	1.4833	10.1%	4.50
99	6.1370	6.5464	6.9824	6.66%	2.26	159	1.1949	1.3162	1.4496	10.1%	4.55
100	5.9494	6.3502	6.7772	6.72%	2.29	160	1.1668	1.2858	1.4168	10.2%	4.59
101	5.7684	6.1607	6.5790	6.79%	2.32	161	1.1394	1.2562	1.3848	10.2%	4.63
102	5.5937	5.9777	6.3874	6.85%	2.36	162	1.1128	1.2274	1.3537	10.3%	4.68
103	5.4251	5.8010	6.2023	6.92%	2.39	163	1.0869	1.1994	1.3235	10.3%	4.72
104	5.2623	5.6302	6.0234	6.98%	2.43	164	1.0617	1.1722	1.2940	10.4%	4.76
105	5.1051	5.4653	5.8504	7.05%	2.46	165	1.0372	1.1457	1.2653	10.4%	4.81
106	4.9533	5.3059	5.6831	7.11%	2.49	166	1.0134	1.1199	1.2374	10.5%	4.85
107	4.8066	5.1519	5.5214	7.17%	2.53	167	0.9902	1.0947	1.2102	10.5%	4.90
108	4.6650	5.0030	5.3650	7.24%	2.56	168	0.9677	1.0703	1.1837	10.6%	4.94
109	4.5281	4.8591	5.2137	7.30%	2.60	169	0.9457	1.0465	1.1578	10.6%	4.98
110	4.3959	4.7199	5.0673	7.36%	2.63	170	0.9243	1.0233	1.1327	10.7%	5.03
111	4.2681	4.5853	4.9257	7.42%	2.67	171	0.9035	1.0007	1.1082	10.7%	5.07
112	4.1446	4.4552	4.7886	7.48%	2.70	172	0.8833	0.9787	1.0843	10.8%	5.12
113	4.0252	4.3293	4.6560	7.55%	2.74	173	0.8635	0.9573	1.0610	10.8%	5.16
114	3.9097	4.2075	4.5276	7.61%	2.77	174	0.8443	0.9364	1.0384	10.9%	5.21
115	3.7981	4.0897	4.4033	7.67%	2.81	175	0.8257	0.9161	1.0163	10.9%	5.26
116	3.6901	3.9757	4.2830	7.73%	2.85	176	0.8074	0.8963	0.9947	11.0%	5.30
117	3.5857	3.8654	4.1665	7.79%	2.88	177	0.7897	0.8769	0.9737	11.0%	5.35
118	3.4846	3.7585	4.0536	7.85%	2.92	178	0.7724	0.8581	0.9532	11.1%	5.39
119	3.3869	3.6552	3.9443	7.91%	2.96	179	0.7556	0.8398	0.9333	11.1%	5.44
120	3.2923	3.5550	3.8384	7.97%	2.99	180	0.7392	0.8219	0.9138	11.2%	5.49
121	3.2007	3.4581	3.7358	8.03%	3.03	181	0.7232	0.8045	0.8948	11.2%	5.53
122	3.1121	3.3642	3.6364	8.09%	3.07	182	0.7077	0.7875	0.8763	11.3%	5.58
123	3.0264	3.2733	3.5400	8.15%	3.10	183	0.6925	0.7710	0.8583	11.3%	5.63
124	2.9433	3.1852	3.4466	8.21%	3.14	184	0.6777	0.7548	0.8407	11.4%	5.67
125	2.8629	3.0999	3.3561	8.27%	3.18	185	0.6633	0.7391	0.8235	11.4%	5.72
126	2.7850	3.0172	3.2683	8.33%	3.22	186	0.6493	0.7237	0.8067	11.5%	5.77
127	2.7096	2.9370	3.1833	8.38%	3.25	187	0.6356	0.7088	0.7904	11.5%	5.81
128	2.6365	2.8594	3.1007	8.44%	3.29	188	0.6222	0.6942	0.7744	11.6%	5.86
129	2.5657	2.7841	3.0207	8.50%	3.33	189	0.6092	0.6799	0.7588	11.6%	5.91
130	2.4971	2.7111	2.9431	8.56%	3.37	190	0.5965	0.6660	0.7436	11.6%	5.96
131	2.4306	2.6403	2.8678	8.61%	3.41	191	0.5841	0.6525	0.7288	11.7%	6.01
132	2.3662	2.5717	2.7947	8.67%	3.44	192	0.5720	0.6392	0.7143	11.7%	6.05
133	2.3038	2.5051	2.7238	8.73%	3.48	193	0.5602	0.6263	0.7001	11.8%	6.10
134	2.2432	2.4406	2.6550	8.79%	3.52	193	0.5487	0.6263	0.6863	11.8%	6.15
135	2.2432	2.4406	2.5882	8.84%	3.56	194	0.5375	0.6014	0.6603	11.9%	6.20
136	2.1045	2.3179	2.5002	8.90%	-	195	0.5375	0.5894	0.6729	11.9%	6.25
136	2.1276	2.2582	2.5234	8.95%	3.60 3.64	196	0.5266	0.5894	0.6597	12.0%	6.30
138	2.0189	2.2010	2.3994	9.01%	3.68	198	0.5055	0.5663	0.6343	12.0%	6.35

# TEWA TEMPERATURE SENSORS HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-100KC3H-7

R/T CHARACTERISTIC:

201	0.4757	0.5335	0.5983	12.1%	6.50	261	0.1613	0.1848	0.2116	14.5%	9.77
202	0.4663	0.5231	0.5869	12.2%	6.55	262	0.1587	0.1819	0.2084	14.6%	9.83
203	0.4570	0.5130	0.5757	12.2%	6.60	263	0.1562	0.1790	0.2052	14.6%	9.89
204	0.4480	0.5031	0.5648	12.3%	6.65	264	0.1537	0.1762	0.2020	14.7%	9.95
205	0.4392	0.4934	0.5542	12.3%	6.70	265	0.1512	0.1735	0.1990	14.7%	10.01
206	0.4306	0.4839	0.5437	12.4%	6.75	266	0.1488	0.1708	0.1959	14.7%	10.07
207	0.4222	0.4746	0.5335	12.4%	6.80	267	0.1465	0.1682	0.1930	14.8%	10.13
208	0.4140	0.4656	0.5236	12.5%	6.85	268	0.1442	0.1656	0.1901	14.8%	10.19
209	0.4060	0.4568	0.5138	12.5%	6.90	269	0.1419	0.1630	0.1872	14.8%	10.25
210	0.3982	0.4481	0.5043	12.5%	6.95	270	0.1397	0.1605	0.1844	14.9%	10.32
211	0.3905	0.4397	0.4950	12.6%	7.00	271	0.1376	0.1581	0.1816	14.9%	10.38
212	0.3831	0.4314	0.4859	12.6%	7.05	272	0.1354	0.1557	0.1789	14.9%	10.44
213	0.3758	0.4234	0.4770	12.7%	7.10	273	0.1333	0.1533	0.1763	15.0%	10.50
214	0.3686	0.4155	0.4683	12.7%	7.16	274	0.1313	0.1510	0.1737	15.0%	10.56
215	0.3617	0.4078	0.4598	12.7%	7.21	275	0.1293	0.1487	0.1711	15.0%	10.62
216	0.3548	0.4003	0.4515	12.8%	7.26	276	0.1273	0.1465	0.1686	15.1%	10.68
217	0.3482	0.3929	0.4433	12.8%	7.31	277	0.1254	0.1443	0.1662	15.1%	10.75
218	0.3417	0.3857	0.4353	12.9%	7.36	278	0.1235	0.1422	0.1637	15.1%	10.81
219	0.3353	0.3786	0.4275	12.9%	7.42	279	0.1216	0.1401	0.1614	15.2%	10.87
220	0.3291	0.3717	0.4199	13.0%	7.47	280	0.1198	0.1380	0.1590	15.2%	10.93
221	0.3230	0.3650	0.4125	13.0%	7.52	281	0.1180	0.1360	0.1567	15.3%	11.00
222	0.3170	0.3584	0.4051	13.0%	7.58	282	0.1162	0.1340	0.1545	15.3%	11.06
223	0.3112	0.3520	0.3980	13.1%	7.63	283	0.1145	0.1320	0.1523	15.3%	11.12
224	0.3055	0.3456	0.3910	13.1%	7.68	284	0.1128	0.1301	0.1501	15.4%	11.18
225	0.3000	0.3395	0.3842	13.2%	7.74	285	0.1111	0.1282	0.1480	15.4%	11.25
226	0.2945	0.3334	0.3774	13.2%	7.79	286	0.1095	0.1264	0.1459	15.4%	11.31
227	0.2892	0.3275	0.3709	13.2%	7.84	287	0.1079	0.1246	0.1438	15.5%	11.37
228	0.2840	0.3217	0.3645	13.3%	7.90	288	0.1063	0.1228	0.1418	15.5%	11.44
229	0.2789	0.3161	0.3582	13.3%	7.95	289	0.1048	0.1210	0.1398	15.5%	11.50
230	0.2739	0.3105	0.3520	13.4%	8.01	290	0.1033	0.1193	0.1379	15.6%	11.57
231	0.2690	0.3051	0.3460	13.4%	8.06	291	0.1018	0.1176	0.1360	15.6%	11.63
232	0.2642	0.2998	0.3401	13.4%	8.12	292	0.1003	0.1160	0.1341	15.6%	11.70
233	0.2595	0.2946	0.3343	13.5%	8.17	293	0.0989	0.1144	0.1323	15.7%	11.76
234	0.2549 0.2505	0.2895 0.2845	0.3286 0.3231	13.5%	8.23 8.28	294 295	0.0975	0.1128	0.1305 0.1287	15.7% 15.7%	11.82
235 236	0.2303	0.2845	0.3231	13.6% 13.6%	8.34	295	0.0961 0.0947	0.1112 0.1097	0.1267	15.7%	11.89 11.95
237	0.2461	0.2798	0.3176	13.6%	8.39	296	0.0947	0.1097	0.1259	15.7%	12.02
238	0.2376	0.2748	0.3123	13.7%	8.45	298	0.0934	0.1062	0.1235	15.8%	12.02
239	0.2375	0.2655	0.3019	13.7%	8.50	299	0.0921	0.1057	0.1233	15.8%	12.15
240	0.2333	0.2610	0.3019	13.8%	8.56	300	0.0896	0.1032	0.1213	15.9%	12.13
241	0.2255	0.2566	0.2920	13.8%	8.62		0.0000	0.1000	0.1200	10.070	12.22
242	0.2233	0.2523	0.2872	13.8%	8.67						
243	0.2178	0.2481	0.2825	13.9%	8.73						
244	0.2141	0.2439	0.2779	13.9%	8.79						
245	0.2105	0.2399	0.2733	14.0%	8.84						
246	0.2069	0.2359	0.2689	14.0%	8.90						
247	0.2034	0.2320	0.2645	14.0%	8.96						
248	0.2000	0.2282	0.2602	14.1%	9.01						
249	0.1966	0.2244	0.2561	14.1%	9.07						
250	0.1934	0.2207	0.2519	14.1%	9.13						
251	0.1901	0.2171	0.2479	14.2%	9.19						
252	0.1870	0.2136	0.2440	14.2%	9.24						
253	0.1839	0.2101	0.2401	14.3%	9.30						
254	0.1809	0.2067	0.2363	14.3%	9.36						
255	0.1779	0.2034	0.2326	14.3%	9.42						
256	0.1750	0.2002	0.2289	14.4%	9.48						
257	0.1721	0.1970	0.2253	14.4%	9.54						
258	0.1693	0.1938	0.2218	14.4%	9.60						
259	0.1666	0.1907	0.2184	14.5%	9.65						

website: www.tewa-sensors.com email: info@tewa-sensors.com