

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

Specification of Glass NTC Thermistor


PART NUMBER: TT2-10KC8-3

No. of pages: 4

Date: **24.09.2015** Revision: **00**

FEATURES:

Sensing Element			Glass NTC Thermistor				
No-load resistance at 25°	°C		10 000 Ω				
Tolerances at 25°C		± 1%					
Beta(25/85) Constant			3435K ± 1%				
Operating tempe <mark>rature rai</mark>	nge		-40°C ÷ 250°C				
Dissipation constant		0.7	7~1.2mW/°C (min, in <mark>air)</mark>				
Thermal time constant		3.5	i~6.5sec (max, in still <mark>air)</mark>				
RoHS Compatible			YES				



website: www.tewa-sensors.com email: info@tewa-sensors.com

HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-10KC8-3

R/T CHARACTERISTIC:

- (%0.)	I= : ((0)	l= 44100	l= #0	DD(0/)	5- (%)	= (%0)	I= : ((0)	- 4410	l= "0	DD(0()	5- (%)
T(℃)		Rcent(kΩ)			DT(°C)	T(℃)		Rcent(kΩ)			DT(℃)
-40	196.7	204.7	213.1	4.10%	0.69	11	17.03	17.30	17.57	1.55%	0.38
-39	185.8	193.4	201.2	4.04%	0.68	12	16.36	16.61	16.86	1.51%	0.37
-38	175.7	182.7	190.0	3.98%	0.68	13	15.72	15.95	16.18	1.47%	0.36
-37	166.1	172.7	179.4	3.92%	0.68	14	15.10	15.32	15.54	1.43%	0.36
-36	157.2	163.3	169.6	3.86%	0.67	15	14.52	14.72	14.92	1.39%	0.35
-35	148.8	154.4	160.3	3.80%	0.67	16	13.96	14.15	14.34	1.35%	0.34
-34	140.9	146.1	151.6	3.75%	0.66	17	13.42	13.60	13.78	1.31%	0.33
-33	133.4	138.4	143.5	3.69%	0.66	18	12.91	13.08	13.24	1.27%	0.32
-32	126.4	131.0	135.8	3.63%	0.65	19	12.42	12.58	12.73	1.23%	0.32
-31	119.8	124.1	128.6	3.58%	0.65	20	11.95	12.10	12.24	1.19%	0.31
-30	113.6	117.6	121.8	3.52%	0.64	21	11.51	11.64	11.77	1.15%	0.30
-29	107.8	111.5	115.4	3.47%	0.64	22	11.08	11.20	11.33	1.11%	0.29
-28	102.28	105.8	109.4	3.41%	0.63	23	10.67	10.78	10.90	1.08%	0.28
-27	97.09	100.4	103.7	3.36%	0.62	24	10.276	10.38	10.49	1.04%	0.27
-26	92.20	95.25	98.4	3.30%	0.62	25	9.900	10.00	10.10	1.00%	0.27
-25	87.58	90.44	93.37	3.25%	0.61	26	9.533	9.633	9.73	1.04%	0.28
-24	83.23	85.90	88.64	3.20%	0.61	27	9.181	9.281	9.381	1.08%	0.29
-23	79.12	81.61	84.18	3.14%	0.60	28	8.845	8.944	9.043	1.11%	0.30
-22	75.24	77.57	79.97	3.09%	0.60	29	8.522	8.621	8.720	1.15%	0.31
-21	71.57	73.75	75.99	3.04%	0.59	30	8.213	8.311	8.410	1.19%	0.33
-20	68.11	70.15	72.24	2.99%	0.59	31	7.917	8.015	8.113	1.22%	0.34
-19	64.83	66.74	68.70	2.94%	0.58	32	7.633	7.730	7.827	1.26%	0.35
-18	61.73	63.52	65.35	2.88%	0.57	33	7.361	7.457	7.554	1.30%	0.36
-17	58.80	60.48	62.19	2.83%	0.57	34	7.100	7.195	7.291	1.33%	0.38
-16	56.03	57.60	59.20	2.78%	0.56	35	6.849	6.944	7.039	1.37%	0.39
-15	53.41	54.87	56.37	2.73%	0.56	36	6.609	6.703	6.797	1.40%	0.40
-14	50.92	52.29	53.70	2.68%	0.55	37	6.379	6.471	6.564	1.44%	0.41
-13	48.57	49.85	51.17	2.64%	0.54	38	6.157	6.249	6.341	1.48%	0.43
-12	46.34	47.54	48.77	2.59%	0.54	39	5.945	6.035	6.126	1.51%	0.44
-11	44.22	45.35	46.50	2.54%	0.53	40	5.741	5.830	5.920	1.55%	0.45
-10	42.22	43.27	44.35	2.49%	0.53	41	5.545	5.633	5.722	1.58%	0.46
-9	40.32	41.30	42.31	2.44%	0.52	42	5.356	5.443	5.531	1.62%	0.48
-8	38.51	39.44	40.38	2.40%	0.51	43	5.175	5.261	5.348	1.65%	0.49
-7	36.80	37.67	38.55	2.35%	0.51	44	5.001	5.086	5.172	1.69%	0.50
-6	35.17	35.99	36.81	2.30%	0.50	45	4.834	4.918	5.002	1.72%	0.52
-5	33.63	34.39	35.17	2.26%	0.49	46	4.673	4.756	4.839	1.75%	0.53
-4	32.16	32.88	33.60	2.21%	0.49	47	4.519	4.600	4.682	1.79%	0.54
-3	30.77	31.44	32.12	2.16%	0.48	48	4.370	4.450	4.531	1.82%	0.56
-2	29.44	30.07	30.71	2.12%	0.47	49	4.227	4.305	4.385	1.85%	0.57
-1	28.18	28.77	29.37	2.07%	0.47	50	4.089	4.166	4.245	1.89%	0.58
0	26.98	27.53	28.09	2.03%	0.46	51	3.956	4.033	4.110	1.92%	0.60
1	25.84	26.36	26.88	1.98%	0.45	52	3.829	3.904	3.980	1.95%	0.61
2	24.76	25.24	25.73	1.94%	0.44	53	3.706	3.780	3.855	1.99%	0.63
3	23.72	24.18	24.64	1.90%	0.44	54	3.587	3.660	3.734	2.02%	0.64
4	22.74	23.16	23.59	1.85%	0.43	55	3.473	3.545	3.618	2.05%	0.65
5	21.80	22.20	22.60	1.81%	0.42	56	3.363	3.434	3.505	2.09%	0.67
6	20.91	21.28	21.66	1.77%	0.42	57	3.257	3.327	3.397	2.12%	0.68
7	20.06	20.41	20.76	1.72%	0.41	58	3.155	3.224	3.293	2.15%	0.70
8	19.25	19.57	19.90	1.68%	0.40	59	3.057	3.124	3.192	2.18%	0.71
9	18.47	18.78	19.09	1.64%	0.39	60	2.962	3.028	3.095	2.21%	0.72
10	17.73	18.02	18.31	1.60%	0.39		1 2.502	0.020	3.300	2.2173	J., L
10	17.70	10.02	10.01	1.0070	0.00						

website: www.tewa-sensors.com email: info@tewa-sensors.com

HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-10KC8-3

R/T CHARACTERISTIC:

T (℃)	Rmin(kΩ)	Rcent(kΩ)	Rmax(kΩ)	DR(%)	DT(°C)	T (℃)	Rmin(kΩ)	Rcent(kΩ)	Rmax(kΩ)	DR(%)	DT(°C)
61	2.871	2.935	3.001	2.25%	0.74	111	0.7037	0.7297	0.7565	3.68%	1.56
62	2.782	2.846	2.911	2.28%	0.75	112	0.6861	0.7116	0.7379	3.70%	1.58
63	2.697	2.760	2.823	2.31%	0.77	113	0.6690	0.6940	0.7199	3.73%	1.59
64	2.615	2.677	2.739	2.34%	0.78	114	0.6523	0.6769	0.7023	3.76%	1.61
65	2.536	2.596	2.658	2.37%	0.80	115	0.6362	0.6603	0.6853	3.78%	1.63
66	2.459	2.519	2.579	2.40%	0.81	116	0.6205	0.6442	0.6687	3.81%	1.65
67	2.385	2.444	2.503	2.43%	0.83	117	0.6052	0.6285	0.6526	3.83%	1.67
68	2.314	2.371	2.430	2.46%	0.84	118	0.5904	0.6132	0.6369	3.86%	1.69
69	2.245	2.301	2.359	2.49%	0.86	119	0.5760	0.5984	0.6216	3.88%	1.71
70	2.179	2.234	2.290	2.53%	0.87	120	0.5619	0.5840	0.6068	3.91%	1.72
71	2.114	2.169	2.224	2.56%	0.89	121	0.5483	0.5699	0.5924	3.94%	1.74
72	2.052	2.106	2.160	2.59%	0.90	122	0.5351	0.5563	0.5783	3.96%	1.76
73	1.992	2.045	2.098	2.62%	0.92	123	0.5222	0.5431	0.5647	3.99%	1.78
74	1.934	1.986	2.038	2.65%	0.93	124	0.5097	0.5302	0.5514	4.01%	1.80
75	1.878	1.929	1.980	2.68%	0.95	125	0.4975	0.5176	0.5385	4.04%	1.82
76	1.824	1.874	1.924	2.71%	0.96	126	0.4856	0.5054	0.5259	4.06%	1.84
77	1.772	1.820	1.870	2.74%	0.98	127	0.4741	0.4935	0.5239	4.00%	1.86
78	1.721	1.769	1.818	2.74%	1.00	128	0.4629	0.4933	0.5018	4.11%	1.88
79	1.672	1.719	1.767	2.79%	1.00	129	0.4520	0.4707	0.4902	4.11%	1.90
80	1.625	1.671	1.718	2.82%	1.03	130	0.4320	0.4707	0.4789	4.16%	1.92
81	1.579	1.624	1.670	2.85%	1.03	131	0.4310	0.4398	0.4789	4.10%	1.94
	1.579	1.579	1.624	2.88%			0.4310	0.4388	0.4572	4.10%	1.94
82				-	1.06	132					_
83	1.491	1.535	1.579	2.91%	1.08	133	0.4112	0.4287	0.4468	4.23%	1.98 2.00
84	1.450	1.492	1.536	2.94%	1.09	134	0.4017	0.4188	0.437	4.26%	
85	1.409	1.451	1.494	2.97%	1.11	135	0.3924	0.4093	0.4268	4.28%	2.02
86	1.370	1.412	1.454	3.00%	1.12	136	0.3834	0.4000	0.4172	4.30%	2.04
87	1.333	1.373	1.415	3.03%	1.14	137	0.3746	0.3909	0.4078	4.33%	2.06
88	1.296	1.336	1.377	3.05%	1.16	138	0.3661	0.3821	0.3987	4.35%	2.08
89	1.261	1.300	1.340	3.08%	1.17	139	0.3578	0.3735	0.3898	4.38%	2.10
90	1.226	1.265	1.304	3.11%	1.19	140	0.3497	0.3651	0.3811	4.40%	2.12
91	1.193	1.231	1.269	3.14%	1.21	141	0.3418	0.3569	0.3727	4.4%	2.14
92	1.161	1.198	1.236	3.17%	1.22	142	0.3341	0.3490	0.3645	4.4%	2.16
93	1.130	1.166	1.203	3.19%	1.24	143	0.3266	0.3412	0.3565	4.5%	2.18
94	1.099	1.135	1.171	3.22%	1.26	144	0.3193	0.3337	0.3487	4.5%	2.20
95 96	1.070	1.105	1.141	3.25%	1.28	145	0.3122	0.3263	0.3411	4.5%	2.22
	1.042	1.076	1.111	3.28%	1.29	146	0.3053	0.3192	0.3337	4.5%	2.24
97	1.014	1.048	1.082	3.30%	1.31	147	0.2986	0.3122	0.3264	4.6%	2.26
98	0.9872	1.020	1.054	3.33%	1.33	148	0.2920	0.3054	0.3194	4.6%	2.28
99	0.9612	0.9936	1.027	3.36%	1.34	149	0.2856	0.2988	0.3126	4.6%	2.30
100	0.9361	0.9679	1.0006	3.39%	1.36	150	0.2794	0.2923	0.3059	4.6%	2.33
101	0.9116	0.9429	0.9750	3.41%	1.38	151	0.2733	0.2860	0.2993	4.7%	2.35
102	0.8880	0.9186	0.9502	3.44%	1.40	152	0.2674	0.2799	0.2930	4.7%	2.37
103	0.8650	0.8950	0.9261	3.47%	1.41	153	0.2616	0.2739	0.2868	4.7%	2.39
104	0.8427	0.8722	0.9027	3.49%	1.43	154	0.2560	0.2681	0.2807	4.7%	2.41
105	0.8210	0.8500	0.8799	3.52%	1.45	155	0.2505	0.2624	0.2749	4.7%	2.43
106	0.8000	0.8284	0.8578	3.55%	1.47	156	0.2452	0.2569	0.2691	4.8%	2.45
107	0.7796	0.8075	0.8364	3.57%	1.48	157	0.2399	0.2515	0.2635	4.8%	2.48
108	0.7598	0.7872	0.8155	3.60%	1.50	158	0.2349	0.2462	0.2580	4.8%	2.50
109	0.7405	0.7675	0.7953	3.63%	1.52	159	0.2299	0.2411	0.2527	4.8%	2.52
110	0.7218	0.7483	0.7756	3.65%	1.54	160	0.2251	0.2361	0.2475	4.9%	2.54

website: www.tewa-sensors.com email: info@tewa-sensors.com

HIGH PRECISION NTC THERMISTORS AND TEMPERATURE SENSORS

PART NUMBER: TT2-10KC8-3

R/T CHARACTERISTIC:

T (℃)	Rmin(LO)	Rcent(LO)	Rmax(kΩ)	DR(%)	DT (℃)	T (°C)	Rmin(LO)	Rcent(kΩ)	Rmay(LO)	DR(%)	DT(°C)
161			0.2424	4.9%		211	0.0872	0.0923	0.0977	5.8%	3.77
	0.2204	0.2312			2.56						
162	0.2158	0.2264	0.2375 0.2327	4.9%	2.59	212	0.0858	0.0909	0.0962	5.9%	3.79
163	0.2113	0.2218			2.61	213	0.0845 0.0832	0.0895	0.0947	5.9%	3.82
164	0.2070	0.2172	0.2280	4.9%	2.63	214		0.0881	0.0933	5.9%	3.85
165	0.2027	0.2128	0.2234	5.0%	2.65	215	0.0820	0.0868	0.0920	5.9%	3.87
166	0.1986	0.2085 0.2043	0.2189 0.2145	5.0%	2.68	216	0.0808	0.0856	0.0906	5.9%	3.90
167 168	0.1945 0.1906	0.2043	0.2143	5.0%	2.70	217	0.0796 0.0784	0.0843	0.0893	5.9%	3.93
169	-	0.2002	0.2103	5.0%	2.74	218 219		0.0831	0.0880	6.0%	3.95 3.98
	0.1868						0.0773		0.0868		
170	0.1830	0.1923	0.2020	5.1%	2.77	220	0.0762	0.0807	0.0856	6.0%	4.01
171	0.1793	0.1885	0.1981	5.1%	2.79	221	0.0751	0.0796	0.0844	6.0%	4.03
172	0.1758	0.1848	0.1942	5.1%	2.81	222	0.0740	0.0785	0.0832	6.0%	4.06
173	0.1723	0.1811	0.1904	5.1% 5.2%	2.83	223	0.0730	0.0774	0.0821	6.0%	4.09
174	0.1689	0.1776	0.1868		2.86	224	0.0720	0.0764	0.0810	6.0%	4.12
175	0.1656	0.1742	0.1832	5.2%	2.88	225	0.0711	0.0754	0.0799	6.1%	4.14
176	0.1623	0.1708	0.1797	5.2%	2.90	226	0.0701	0.0744	0.0789	6.1%	4.17
177	0.1592	0.1675	0.1762	5.2%	2.93	227	0.0692	0.0734	0.0779	6.1%	4.20
178	0.1561	0.1643	0.1729	5.2%	2.95	228	0.0683	0.0725	0.0769	6.1%	4.23
179	0.1531	0.1612	0.1696	5.3%	2.97	229	0.0674	0.0715	0.0759	6.1%	4.25
180	0.1502	0.1581	0.1665	5.3%	3.00	230	0.0665	0.0706	0.0750	6.1%	4.28
181	0.1473	0.1551	0.1633	5.3%	3.02	231	0.0657	0.0698	0.0740	6.1%	4.31
182	0.1445	0.1522	0.1603	5.3%	3.04	232	0.0649	0.0689	0.0731	6.2%	4.34
183	0.1418	0.1494	0.1574	5.3%	3.07	233	0.0641	0.0681	0.0723	6.2%	4.36
184	0.1391	0.1466	0.1545	5.4%	3.09	234	0.0633	0.0673	0.0714	6.2%	4.39
185	0.1365	0.1439	0.1516	5.4%	3.12	235	0.0626	0.0665	0.0706	6.2%	4.42
186	0.1340	0.1413	0.1489	5.4%	3.14	236	0.0619	0.0657	0.0698	6.2%	4.45
187	0.1315	0.1387	0.1462	5.4%	3.16	237	0.0612	0.0650	0.0690	6.2%	4.48
188	0.1291	0.1362	0.1436	5.4%	3.19	238	0.0605	0.0642	0.0682	6.2%	4.51
189	0.1268	0.1337	0.1410	5.5%	3.21	239	0.0598	0.0635	0.0675	6.2%	4.53
190	0.1245	0.1313	0.1385	5.5%	3.24	240	0.0591	0.0628	0.0668	6.3%	4.56
191	0.1222	0.1290	0.1361	5.5%	3.26	241	0.0585	0.0622	0.0661	6.3%	4.59
192	0.1201	0.1267	0.1337	5.5%	3.29	242	0.0579	0.0615	0.0654	6.3%	4.62
193	0.1179	0.1245	0.1313	5.5%	3.31	243	0.0573	0.0609	0.0647	6.3%	4.65
194	0.1158	0.1223	0.1291	5.5%	3.34	244	0.0567	0.0603	0.0641	6.3%	4.68
195	0.1138	0.1202	0.1268	5.6%	3.36	245	0.0562	0.0597	0.0635	6.3%	4.71
196	0.1118	0.1181	0.1247	5.6%	3.39	246	0.0556	0.0591	0.0629	6.3%	4.74
197	0.1099	0.1161	0.1226	5.6%	3.41	247	0.0551	0.0586	0.0623	6.3%	4.77
198	0.1080	0.1141	0.1205	5.6%	3.43	248	0.0546	0.0580	0.0617	6.3%	4.80
199	0.1061	0.1121 0.1103	0.1185	5.6%	3.46	249 250	0.0541	0.0575	0.0612	6.3%	4.83
200	0.1043		0.1165	5.7%	3.49	250	0.0536	0.0570	0.0606	6.4%	4.86
201	0.1026	0.1084	0.1146	5.7%	3.51						
202	0.1009	0.1066	0.1127	5.7%	3.54						
203	0.0992	0.1049	0.1109	5.7%	3.56						
204	0.0976	0.1032	0.1091	5.7%	3.59						
205	0.0960	0.1015	0.1073	5.7%	3.61						
206	0.0944	0.0999	0.1056	5.8%	3.64						
207	0.0929	0.0983	0.1039	5.8%	3.66						
208	0.0914	0.0967	0.1023	5.8%	3.69						
209	0.0900	0.0952	0.1007	5.8%	3.72						
210	0.0885	0.0937	0.0992	5.8%	3.74						

website: www.tewa-sensors.com email: info@tewa-sensors.com