



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



A new hardware version (V2) was released in 2017 that requires a different driver. Click the above Support tab to find old and new drivers and a file with instructions on how to determine which version you need.

## Mini Bluetooth 4.0 (Class 1) USB Adapter

MODEL NUMBER: **U261-001-BT4**



Adds Bluetooth wireless capability via your computer or laptop's USB port. Ideal for wireless communication with Bluetooth 4.0-enabled smartphones, tablets, keyboards, mice, headsets and printers.

### Description

The U261-001-BT4 Mini Bluetooth 4.0 (Class 1) USB Adapter connects to your computer or laptop's USB port to provide instant Bluetooth wireless capability. Ideal for wireless communication with Bluetooth 4.0-enabled smartphones, tablets, keyboards, mice, headsets and printers, this low-profile device protrudes less than 3/16 of an inch (5 mm) from the USB port, so it can remain connected while your laptop is inside a sleeve, briefcase or backpack.

The U261-001-BT4 has a wireless range of 164 feet (50 meters) and supports data transfer rates up to 3 Mbps. You can connect up to seven Bluetooth devices at the same time. It requires very little power to function, and its built-in security ensures your pairing, encryption and authentication remains private. It's also backward compatible with previous Bluetooth versions. Just plug the U261-001-BT4 into your Windows® or Linux computer or laptop, and the driver automatically installs.

### Features

#### Adds Bluetooth 4.0 Wireless Capability to Your Computer or Laptop via USB

- Ideal for wireless communication with Bluetooth 4.0-enabled smartphones, tablets, keyboards, mice, headsets and printers
- Compliant with Bluetooth 4.0 LE+EDR Class 1
- Wireless range up to 164 ft. (50 m)
- Data transfer rates up to 3 Mbps
- Low power consumption

### Highlights

- Compliant with Bluetooth 4.0 LE+EDR Class 1
- Wireless range up to 164 ft. (50 m)
- Connects up to 7 devices simultaneously
- Data transfer rates up to 3 Mbps
- Backward compatible with previous Bluetooth versions

### System Requirements

- Available USB port
- Windows or Linux computer

### Package Includes

- U261-001-BT4 Mini Bluetooth 4.0 (Class 1) USB Adapter
- Owner's manual



#### Built-In Security

- Protects your pairing, encryption and authentication info

#### Low-Profile Design

- Protrudes less than 3/16 in. (5 mm) from USB port
- Remains connected while laptop is stored in briefcase or backpack

#### Versatile and Easy to Use

- Backward compatible with previous Bluetooth versions
- Connects easily to all Bluetooth devices
- Connects up to 7 devices simultaneously
- Plug and play—driver automatically installs upon connection

## Specifications

| OVERVIEW                          |  |
|-----------------------------------|--|
| UPC Code                          | 037332193452                             |
| Technology                        | USB 2.0 (High Speed); USB (all versions) |
| INPUT                             |  |
| Bus Powered                       | Yes                                      |
| USER INTERFACE, ALERTS & CONTROLS |  |
| LED Indicators                    | Green (Power)                            |
| PHYSICAL                          |  |
| Unit Packaging Type               | Clamshell                                |
| Unit Dimensions (hwd / in.)       | 0.28 x 0.87 x 0.59                       |
| Unit Weight (lbs.)                | 0.01                                     |
| Unit Weight (kg)                  | 0.00                                     |
| Material of Construction          | Steel, PVC                               |
| Color                             | Black                                    |
| ENVIRONMENTAL                     |  |
| Operating Temperature Range       | 14 to 122 F (-10 to 50 C)                |
| Storage Temperature Range         | -4 to 158 F (-20 to 70 C)                |
| Relative Humidity                 | 20% to 90% RH, Non-Condensing            |
| BTUs                              | 1.7 BTU/Hr                               |



|                                      |                                |
|--------------------------------------|--------------------------------|
| Power Consumption (Watts)            | 0.5                            |
| <b>COMMUNICATIONS</b>                |                                |
| Signal Range (ft.)                   | 164                            |
| Signal Range (m)                     | 50                             |
| <b>CONNECTIONS</b>                   |                                |
| Side A - Connector 1                 | USB A (MALE)                   |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                |
| USB Specification                    | USB 2.0 (up to 480 Mbps)       |
| Driver Required                      | Yes                            |
| <b>CERTIFICATIONS</b>                |                                |
| Certifications                       | Tested to CE, FCC, RoHS, REACH |
| <b>WARRANTY</b>                      |                                |
| Product Warranty Period (Worldwide)  | 3-year limited warranty        |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>