



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## USB 3.0 SuperSpeed Device Cable (AB M/M) Black, 10-ft.

MODEL NUMBER: **U322-010-BK**



Connect USB 3.0 computers to USB 3.0 enabled peripherals such as hard drives and printers.

### Description

Tripp Lite's SuperSpeed USB 3.0 cable brings significant performance enhancements to the ubiquitous USB standard while remaining compatible with the billions of USB enabled devices currently deployed in the market. SuperSpeed USB will deliver 10x the data transfer rate of Hi-Speed USB (up to 5Gbps) as well as improved power efficiency. USB 3.0 utilizes a bi-directional data interface rather than USB 2.0's half-duplex arrangement where data can only flow in one direction at a time, giving a ten-fold increase in theoretical bandwidth.

### Features

- 10-ft USB 3.0 SuperSpeed Cable - Black
- SuperSpeed USB is 10 times faster than Hi-Speed USB, with transfer rates up to 5 Gbps
- Sync-N-Go technology minimizes user wait-time
- Provides Optimized Power Efficiency...No device polling and lower active and idle power requirements
- Backwards compatible with USB 2.0. Devices operate with USB 2.0 platforms. Hosts support USB 2.0 legacy devices

## Specifications

| OVERVIEW   |  |
|------------|--|
| UPC Code   | 037332183132                             |
| Technology | USB 3.0 (SuperSpeed); USB (all versions) |
| INPUT      |  |

### Highlights

- 10-ft SuperSpeed USB 3.0 A-B Cable
- 10 times faster than USB 2.0 with transfer rates up to 5 Gbps

### System Requirements

- Computers and peripherals with USB 3.0 capability

### Package Includes

- 10-ft. USB 3.0 SuperSpeed A-B Device Cable - Black



|                                      |                                |
|--------------------------------------|--------------------------------|
| Cable Length (ft.)                   | 10                             |
| Cable Length (m)                     | 3.1                            |
| Cable Length (in.)                   | 120                            |
| <b>PHYSICAL</b>                      |                                |
| Wire Gauge (AWG)                     | 28/28/24                       |
| Shipping Dimensions (hwd / in.)      | 7.00 x 9.00 x 0.50             |
| Shipping Dimensions (hwd / cm)       | 17.78 x 22.86 x 1.27           |
| Shipping Weight (lbs.)               | 0.28                           |
| Shipping Weight (kg)                 | 0.13                           |
| Material of Construction             | PVC                            |
| Color                                | Black                          |
| Cable Outer Diameter (OD)            | 5.5MM                          |
| Cable Jacket Rating                  | VW-1                           |
| <b>ENVIRONMENTAL</b>                 |                                |
| Operating Temperature Range          | 14 to 140 F (-10 to 60 C)      |
| Storage Temperature Range            | -4 to 185 F (-20 to 85 C)      |
| Relative Humidity                    | 10% to 85%, Non-Condensing     |
| <b>CONNECTIONS</b>                   |                                |
| Side A - Connector 1                 | USB 3.0 A (MALE)               |
| Side B - Connector 1                 | USB 3.0 B (MALE)               |
| Connector Plating                    | Nickel                         |
| Contact Plating                      | Gold                           |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                |
| USB Specification                    | USB 3.0 (up to 5 Gbps)         |
| <b>CERTIFICATIONS</b>                |                                |
| Certifications                       | Tested to CE, FCC, RoHS, REACH |
| <b>WARRANTY</b>                      |                                |
| Product Warranty Period (Worldwide)  | Lifetime limited warranty      |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

<https://www.tripplite.com/products/product-certification-agencies>