



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## USB 3.0 SuperSpeed to Dual Port Gigabit Ethernet Adapter

MODEL NUMBER: **U336-002-GB**



Add two Gigabit Ethernet ports via the USB 3.0 port on your Chromebook, laptop, or other computer

### Description

Tripp Lite's U336-002-GB USB 3.0 to Dual Gigabit Ethernet Adapter allows you to quickly add two Gigabit Ethernet ports to your computer through a single USB 3.0 port - no need to open up your computer case to add an internal Ethernet card. Connect both ports to the same network, or a separate network to each port. Ideal for network administrators that require dual-homed or multi-homed host systems. Can also be used as a 2-port network switch; one port connects a computer to a network and a second port shares a network connection with another computer. The adapter's compliance with USB 3.0 (5Gbps) ensures true Gigabit network speed without any compromise. Furthermore, the adapter is compact and USB bus-powered, requiring no external power adapter.

### Features

- Add two Gigabit Ethernet ports via the USB 3.0 port on your Chromebook, laptop, or other computer
- Connect both ports to the same network, or a separate network to each port
- Can be used as a 2-port network switch; one port connects a computer to a network and a second port shares a network connection with another computer
- Compliant with IEEE 802.3i (10BASE-T Ethernet), 802.3u (100BASE-TX Fast Ethernet), 802.3ab (1000BASE-T GbE) and IEEE 802.3az (Energy Efficient Ethernet) standards
- Supports full-duplex with IEEE 802.3x flow control and half-duplex with back-pressure flow control
- Supports IPv4 and IPv6 pack Checksum Offload Engine (COE) and TCP large segment offload (LSO) to reduce CPU loading
- Suspend mode and remote wakeup is supported via link-change, Magic Packet, Microsoft Wakeup Frame and external wakeup pin
- Supports Jumbo Frames up to 4K

### Highlights

- Add two 10/100/1000 Gigabit Ethernet ports via a single USB 3.0 port
- Connect both ports to the same network, or a separate network to each port
- Can be used as a 2-port network switch, with one port connecting a computer to a network and the second port sharing the connection with another computer
- Compatible with Windows, MAC, Linux and Chromium Operating Systems

### System Requirements

- An available USB 3.0 port. Unit is backward compatible with USB 2.0, but at USB 2.0 speeds
- Compatible with Windows®, Mac®, Linux and Chromium Operating Systems

### Package Includes

- USB 3.0 Dual Port Gigabit Ethernet Adapter
- Owner's Manual
- Driver CD



- Supports VLAN tagging
- Supports Wake-on-LAN
- Features a Micro-USB port for connecting to a power source when your computer or laptop is powered off

## Specifications

OVERVIEW	
UPC Code	037332186911
Technology	Cat5/5e; Cat6; USB 3.0 (SuperSpeed); USB (all versions)
INPUT	
Bus Powered	Yes
Product Length (in.)	10
USER INTERFACE, ALERTS & CONTROLS	
LED Indicators	Green (Link); Yellow (Activity)
PHYSICAL	
Shipping Dimensions (hwd / in.)	6.700 x 3.860 x 1.180
Shipping Dimensions (hwd / cm)	17.02 x 9.80 x 3.00
Shipping Weight (lbs.)	0.2500
Shipping Weight (kg)	0.11
Unit Packaging Type	Box
Unit Dimensions (hwd / in.)	0.9 x 3 x 2
Unit Weight (lbs.)	0.12
Unit Weight (kg)	0.05
Material of Construction	PC and ABS
Color	Black
Cable Jacket Rating	VW-1
ENVIRONMENTAL	
Operating Temperature Range	-4 to 158 F (-20 to 70 C)
Storage Temperature Range	-4 to 185 F (-20 to 85 C)
Relative Humidity	20% to 80% RH, Non-Condensing
BTUs	6.4 BTU/Hr
Power Consumption (Watts)	1.9



<b>COMMUNICATIONS</b>	
Network Speed	1Gbps
IEEE Standards Supported	802.3; 802.3u; 802.3az
<b>CONNECTIONS</b>	
Ports	2
Side A - Connector 1	USB 3.0 A (MALE)
Side B - Connector 1	(2) RJ45 (FEMALE)
Connector Plating	Nickel
<b>FEATURES &amp; SPECIFICATIONS</b>	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)
Driver Required	Yes
Auto MDIX Support	Yes
Full Duplex Support	Yes
Suspend Mode Support	Yes
Remote Wakeup Support	Yes
<b>CERTIFICATIONS</b>	
Certifications	Tested to CE, FCC, RoHS, REACH
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>