

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Tripp Lite
1111 W. 35th Street

Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

4-Port Portable USB 3.0 SuperSpeed Mini Hub, Aluminum

MODEL NUMBER: U360-004-AL











Connects to the USB 3.0 port on your laptop, Ultrabook or computer to give you four external USB 3.0 ports.

Description

The U360-004-AL 4-Port Portable USB 3.0 SuperSpeed Mini Hub's built-in USB cable connects to your laptop, Ultrabook or computer to expand the number of available USB 3.0 ports. Just plug and play with no drivers or external power supply needed. The bus-powered hub distributes 900mA to its four ports. When using a separate cable between the hub's USB Micro-B port and your device to draw additional power, the hub can provide up to 1.5A for fast charging of mobile devices.

This portable hub supports USB 3.0 data transfer rates up to 5 Gbps—ten times faster than USB 2.0—and is backward compatible with USB 2.0 and USB 1.1 devices. All four ports support USB Battery Charging (BC) specification v1.2. The compact aluminum case fits easily into your pocket, backpack, briefcase or laptop bag to power USB-enabled devices wherever you are.

Features

Increases Your Computer's USB 3.0 Ports from 1 to 4

- Expands your laptop, Ultrabook or computer's USB 3.0 port to 4 external USB 3.0 ports
- All 4 ports share 900mA when bus-powered
- Can provide up to 1.5A when USB Micro-B port is connected to a second computer USB port

Excellent Speed and Versatile Performance

- Supports USB 3.0 data transfer rates up to 5 Gbps—10 times faster than USB 2.0
- Backward compatible with USB 2.0 and USB 1.1
- Supports USB Battery Charging (BC) specification v1.2

Highlights

- USB ports can provide up to 1.5A for charging mobile devices
- Supports USB 3.0 data transfer rates up to 5 Gbps
- Plug and play—no drivers or external power supply needed
- Fits easily into pocket, backpack, briefcase or laptop bag
- Backward compatible with USB
 2.0 and USB 1.1

System Requirements

 Device with USB port (USB 3.0 port needed to achieve USB 3.0 speeds)

Package Includes

U360-004-AL 4-Port Portable
 USB 3.0 SuperSpeed Mini Hub



Take the Hub Anywhere

- Compact case made from lightweight aluminum
- Fits easily into your pocket, backpack, briefcase or laptop bag
- Built-in cable is perfect for travel

Specifications

OVERVIEW		
UPC Code	037332190512	
Technology	USB 3.0 (SuperSpeed); USB (all versions)	
INPUT		
Bus Powered	Yes	
Product Length (ft.)	1.2	
PHYSICAL		
Shipping Dimensions (hwd / in.)	1.200 x 4.900 x 3.900	
Shipping Dimensions (hwd / cm)	3.05 x 12.45 x 9.91	
Shipping Weight (lbs.)	0.2200	
Shipping Weight (kg)	0.10	
Unit Packaging Type	Вох	
Unit Dimensions (hwd / in.)	0.6 x 2.8 x 2.6	
Unit Weight (lbs.)	0.16	
Unit Weight (kg)	0.07	
Material of Construction	Aluminum	
Color	Silver	
Cable Jacket Rating	VW-1	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 158 F (-20 to 70 C)	
Storage Temperature Range	14 to 167 F (-10 to 75 C)	
Relative Humidity	0% to 85% RH, Non-Condensing	
BTUs	2.4 BTU/Hr	
Power Consumption (Watts)	0.7	
Power Provided to Connected Device(s)	5V 1.5A (7.5W) Output per USB Port	





CONNECTIONS		
Ports	4	
Side A - Connector 1	USB 3.0 A (MALE)	
Side B - Connector 1	(4) USB 3.0 A (FEMALE)	
Side B - Connector 2	MICRO-USB B (FEMALE)	
Connector Plating	Nickel	
FEATURES & SPECIFICATIONS		
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
CERTIFICATIONS		
Certifications	Tested to CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies