

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# 4.3" No Touch LCD GUI

The 4.3" No Touch LCD GUI, **uEZGUI-4088-43WQE-BA**, adds a no touch option with enhanced processing capabilities and display features to FDI's standalone microcontroller-based  $\mu EZ^{\circ}$  GUI product family. The high performance NXP LPC4088 microcontroller with Floating Point Unit and high speed SPIFI Flash is optimal for math intensive applications. This product features our brightest TFT LCD display with wider IPS-like viewing angles with no touch screen for applications requiring membrane keypad, rugged cap touch buttons or hot keys.

The Future Designs, Inc.  $\mu EZ^{\circ}$  GUI product family is our standalone microcontroller-based solution designed for the easy integration of modern human machine interfaces (HMI) into a variety of end applications. Each  $\mu EZ$  GUI product includes a display with supporting hardware and FDI's open source  $\mu EZ$  / FreeRTOS software. FDI's  $\mu EZ$  GUI development kits include everything needed to kick off a  $\mu EZ$  GUI project including JTAG debugger, power supply, cables, microSD card and full documentation. Once your design is complete, we offer cost-effective production modules for prototypes or high-volume production.

FDI also offers engineering design and production support services. We are committed to saving our customers time, money and hassle. So, no matter how much (or little) support you need along the way, we can make your project concept a reality.

 $\mu$ EZ GUI Products are available for immediate order at www.TeamFDI.com from any of our franchised distributors.









Production Module Part #: uEZGUI-4088-43WQE-BA

Development Kit Part #: uEZGUI-4088-43WQE

Production guaranteed until 2014 or longer.

## **Module Features**

- 4.3" WQVGA 480 x 272 No Touch LCD Panel
- NXP LPC4088 120MHz CPU with 512KB Internal Flash
- 16MB of SPIFI Flash (optional 64MB)
- 8MB of SDRAM (optional to 32MB)
- High Speed SD interface supporting 15fps video playback
- MicroSD Memory Card Socket
- USB Device Mini-AB for 5.0 VDC power and PC communications
- USB Host support through adapter cable
- NV Data Storage via 4KB Internal EEPROM
- Internal Real-Time Clock with Supercap Backup
- Speaker, 3-axis Accelerometer, Temperature Sensor
- Pmod Type 2A connector with SPI and optional I2C
- Mini-JTAG Debug Connector
- External Expansion via two I/O Connectors (70 pins)
  - UART, I2C, SPI, USB Host/Device, RMII Ethernet







Rowley Associates















## **Technical Specifications**

#### **Production Module**

Part number: uEZGUI-1788-43WQE-BA

•

Contrast Ratio: 500: 1 typicalBrightness: 850 nits typical

• Horizontal Viewing Angle: 75° L / 75° R

Vertical Viewing Angle: 75° U / 75° D

Power consumption typ/max: 600 / 750mA

• Overall Size: 116.8(W) x 72.1(H) x 11.7(D) mm

• Operating Temperature Range: -20°C to +70°C

• Viewable area: 95.0(W) x 53.9(H) mm

· Weight: 88g

Resolution: 480x272Glass Overlay: 0.55mm

#### **Development Kit**

• Part number: uEZGUI-1788-43WQE

- Includes uEZGUI-1788-43WQE-BA Production Module
- AC power supply
- Mini JTAG debugger with cables
- USB device cables for power and PC communications
- 4GB (or larger) microSD memory ard
- Documentation and example software



## uEZ Software

 $\mu$ EZ® (pronounced Muse) is an open source rapid development platform that allows companies to focus on innovation and their value-added applications while minimizing development time and maximizing software reuse.  $\mu$ EZ components comprise three primary categories to simplify embedded application development: Operating System Abstraction Layer ( $\mu$ EZ® OSAL), Sub-system drivers (ex:  $\mu$ EZ® TCP/IP,  $\mu$ EZ® USB,  $\mu$ EZ® Driver), and Hardware Abstraction Layer ( $\mu$ EZ® HAL)

Semaphores, Mutex, Queues	safeRIOS option for safety critical real-time applications	emWin Graphics library free with NXP ARM MCUs	card with long-file name support	<u>USB Host/Device</u> including mass storage, HID Libraries
<u>Wi-Fi</u> library with integration into TCP/IP Stack from GainSpan	SEGGER JTAG development and production SW integration	10/100 Ethernet support with IwIP TCP/IP Stack	Memory SDRAM, NOR Flash, SPIFI Flash support	Audio PWM, DAC, and I2S support
TFT LCD support for QVGA, VGA, WQVGA, WVGA Displays	Multiple compilers and IDEs supported	Modbus TCP/IP and RTU support	Serial Comms I2C, SPI, UART, RS232, RS485, CAN & GPIO	Bootloader for field updates over SD/USB/Serial (affordable µEZ+)





