imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









No hassle warranty

No waiting.

No shipping charges.

Our commitment to high-quality products and customer service is demonstrated by our industry exclusive "No Hassle" warranty. In the unlikely event that an Amprobe Test Tool requires warranty service, any of our local dealers are authorized to replace it, on the spot.

(note: \$500 MSLP limit)

TMULD-300 converts these sounds into an audible range for easy detection. The TMULD-300 tests pressurized air lines, refrigeration systems, steam lines for leaks. Quickly and easily locate a leak location with this unique device.

ULD-300

- Locates arcing in an electrical system
- Useful in finding the ends of buried PVC pipes
- Includes Parabola shield to reduce background noise, extension tube to access difficult or dangerous areas

Ultrasonic Leak Detector

When leaks occur they often generate an ultrasonic frequency that is beyond human hearing. Amprobe's



Data Sheet





ULD-300 Ultrasonic Leak Detector

Specifications

General Specifications		
Operating Temperature	0°C to 38°C (32°F to 100°F)	
Storage Temperature	-40°C to 66°C (-40°F to 150°F)	
Weight	180 Grams (6.3 Ounces) with Battery	
Dimensions	185.4 x 63.5 x 25.4 mm (7.3 x 2.5 x 1 in.)	
Frequency Response	35 kHz to 45 kHz + 6 db	
Power Consumption	22 mA at 9 Volts DC	
Battery Life	33 Hours with 9 Volt Alkaline Battery (NEDA 1604A, IEC 6LR61)	
Performance	Meets the ASTM Standard: ASTM E1211-07	
Battery Test	LED Color indicator: Green-Good; Red-Replace	
Case	High Impact ABS Plastic	



Included Parts

Part Number	Description
TEA-1	Flexible Tubing Adapter
TE-2	Tubular Extension
ULD-CC	Carrying Case
PB-1	Parabola
HP-1	Headphones

Amprobe® Test Tools

website: www.Amprobe.com email: info@amprobe.com Everett, WA 98203 Tel: 877-AMPROBE

Amprobe® Test Tools Europe

Amprobe Test Tools Europe Beha-Amprobe GmbH In den Engematten 14 79286 Glottertal, Germany Tel.: +49 (0) 7684 8009 - 0

©2009 Amprobe Test Tools. All rights reserved. 03/2009 3465265 Rev A

Data Sheet

Amprobe® Test Tools