



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Isobar Surge Suppressor - Direct plug-in surge, spike and line noise protection

MODEL NUMBER: **ULTRACOPY**

Description

For more than 20 years, America's leading companies have trusted Tripp Lite's Isobar premium surge and noise suppressors to protect sensitive computer, networking and telecom equipment. With more than 15 million satisfied customers, the Isobar remains the world's #1 selling premium surge suppressor. Loaded with a generous combination of high-quality components, near indestructible all-metal case and unique noise filtration system, Isobars offer the highest level of protection. Robust surge suppression circuits with sine wave tracking offer extreme levels of protection against the heaviest surge conditions. Isobar's unique protection system combines large torroidal chokes, HF/VHF capacitors and multiple metal oxide varistors that remove high-level surges and EMI/RFI interference. UltraCopy features two 20A-style outlets arranged with standard wall socket spacing in a cordless direct plug-in format. Mounting tabs allow permanent connection via duplex switchplate screw. Surge suppression rated at 600 joules/48,000 amps provides high-grade protection. Diagnostic LEDs confirm power availability, line fault and protection status. Lifetime warranty with \$10,000 Ultimate Lifetime Insurance for connected equipment (USA, Puerto Rico & Canada Only).

PLUG/OUTLETS: Input NEMA 5-20P; Output 2 NEMA 5-20R

ELECTRICAL: 120V AC, 50/60Hz, 20A (Requires NEMA 5-20R wall receptacle)

SUPPRESSION: AC: 140V RMS Clamping/600 joules/48,000 amps

FORMAT: Direct plug-in, receptacle mount form factor

Features

- Tripp Lite's ISOBAR is the world's #1 selling premium suppressor series with more than 15 million satisfied customers and a safety-tested history of 20+ years
- Robust surge suppression with sine wave tracking protects against the heaviest of surge conditions, exceeding IEEE category A&B specifications
- Multi-component suppression circuits combine torroidal chokes, HF/VHF capacitors and metal oxide varistors
- 2 outlets with standard duplex wall outlet spacing offer convenient wall receptacle mount placement; included mounting tab allows permanent connection via wall receptacle switch plate screw.
- Heavy-grade surge suppression rated at 600 joules/48,000 amps
- 3 LED indicators confirm suppressor operation and site wiring status, plus warning of suppressor or electrical fault conditions
- 120V AC, 50/60Hz, 20A electrical compatibility
- \$10,000 Ultimate Lifetime Insurance (USA, Puerto Rico & Canada Only)
- Lifetime product warranty
- UL1449 listed surge suppression (330V let-through), UL1283 listed EMI protection, UL1363 listed power tap, cUL approved to Canadian standards

Highlights

- 2 outlets (20-amp)/direct plug-in
- 600 joule rating
- All-metal housing with LEDs
- \$10,000 Ultimate Lifetime Insurance (USA, Puerto Rico & Canada only)

Package Includes

- ULTRACOPY Surge Suppressor
- Instruction manual with warranty information

Specifications

| OVERVIEW | |
|----------|--------------|
| UPC Code | 037332010513 |



| OUTPUT | |
|--|---|
| Frequency Compatibility | 50 / 60 Hz |
| Output (Watts) | 2400 |
| Circuit Breaker (amps) | 20 |
| INPUT | |
| Recommended Electrical Service | 120V,20A |
| Input Connection Type | NEMA 5-20P input plug |
| Input Cord Length Details | Direct plug-in |
| Voltage Compatibility (VAC) | 120 |
| USER INTERFACE, ALERTS & CONTROLS | |
| Diagnostic LED Details | PROTECTION PRESENT (green), LINE FAULT (red) and LINE OK (green) |
| SURGE / NOISE SUPPRESSION | |
| AC Suppression Joule Rating | 600 |
| AC Suppression Response Time | NM = 0 ns. CM = <1 ns |
| Protection Modes | Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression |
| Clamping Voltage (RMS) | 140 |
| AC Suppression Surge Current Rating | 48,000 amps |
| AC Suppression Components Used | Metal oxide varistors, toroidal balanced chokes and VHF capacitors |
| Safe Thermal Fusing | Prevents unsafe conditions during extreme extended overvoltages and catastrophic occurrences |
| EMI / RFI Filtering | 40-80 dB |
| Immunity | Conforms to IEE 587 / ANSI C62.41 |
| PHYSICAL | |
| Shipping Dimensions (hwd / in.) | 5.00 x 3.75 x 2.12 |
| Shipping Dimensions (hwd / cm) | 12.70 x 9.52 x 5.40 |
| Shipping Weight (lbs.) | 1.00 |
| Shipping Weight (kg) | 0.45 |
| Unit Dimensions (hwd / in.) | 4 x 2.5 x 2.5 |
| Unit Dimensions (hwd / cm) | 10.2 x 6.4 x 6.4 |
| Material of Construction | Metal |
| Receptacle Color | Black |
| Form Factors Supported | Direct plug-in format with retaining bracket supports wall mounting directly to a standard AC wall socket |



| CERTIFICATIONS | |
|--|---|
| UL1449 3rd Edition (AC Suppression) | UL1449 |
| UL1283 (EMI Filter) | UL1283 |
| cUL / CSA (Canada) | cUL |
| Approvals | Exceeds IEEE 587 category A&B specifications |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |
| Connected Equipment Insurance (U.S., Canada & Puerto Rico) | \$10,000 Ultimate Lifetime Insurance |

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>