



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!






Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






MATERIAL :
Shell: Polyamid UL94 V-0
Seal gasket : FPM

PERFORMANCE CHARACTERISTICS :

Operating temperature: -40° C up to 105° C
Insulation resistance: 5000 MΩ min
Test potential: 2000 Vrms for #16 layout
Corrosion salt spray: 500 hours
Durability: 250 matings and unmatings
Sealing in mated conditions:
-IP68 1 bar during 1 week : immersion under 10 m of water. (IEC 60529)
-IP69K : exposure to high pressure water of cleaning equipment (DIN 40050)

NOTES :

- 1-Contact #16 must be ordered separately : refer to TRIM TRIO catalog
- 2-Earth contact is a first mate last break contact



P/N : UTS0147P

C		17/12/2010		TOLERANCES UPDATE			
ISS	DATE	Latest modification - by:		RAGAINÉ M.		MOD N°	
Designed by:		RAGAINÉ M.		Date: 07/05/10		CUSTOMER DRAWING	
TITLE		RECEPTACLE TYPE 0 SIZE 14 LAYOUT 7 CTS					
		UTS CONNECTOR					
Scale	2/1	General linear Tolerances: ± 0,2		NPRDS / PROJECT IC101602A			
SOURIAU Connection Technology		WWW.SOURIAU.COM				This document is the property of SOURIAU. It must not be reproduced or communicated without permission.	
FORMAT	A2	SOURIAU DRG N° C119-UTS1-A				SHEET 1 / 1	
						NOT EXPORT CONTROLLED	