



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




Omron V750-BA50C04 Series

GEN 2

GLOBAL STANDARDS

**EPC Generation 2
Interrogator Platform**
Unmatched Readtime Performance



Omron V750-BA50C04 Series

UHF
READER/
WRITER

GEN 2



V750 BA50C04 Series platform enables high performance EPC Gen2 reading/writing and it features easy set up, advanced diagnostics, self execution RF environmental monitoring function. The reader delivers erase reliable and consistent performance.

Specifications		
Frequencies	V750-BA50C04-US	USA: 902.75 - 927.75MHz
	V750-BA50C04-EU	Europe: 856.6 - 867.6 MHz
	V750-BA50C04-JP	Japan: 952 - 954MHz
Supported Protocol	EPC Class1 Generation2	
Number of Antenna Port	Mono-Static (Transmit- Receipt- Integral) X 4 Ports	
Operating Temperture	-10° to +50°	
Protective Rating	IP50 (IEC 60529)	
Power Supply Method	Exclusive AC Adapter	
Dimensions	246X215X43.5mm (9.68X8.5X1.7 inch)	
Interface Port	Ethernet, RS232C	
I/O Interface	4 Inputs and 4 Outputs	
Filtering	2 Filters can be used without programing	
LED Display	Operation Status X 8 Displays, Input/Output Status X 8 Display	
Function Expandability	Software Upgradable, Control Port to Expand Functions	

Omron RFID Division

JAPAN

1-11-1 Osaki,
Gate City Osaki West 14F
Shinagawa-ku,
Tokyo 141-0032 Japan
Phone: +81-3-5435-2016
Fax: +81-3-5435-2017

NORTH AMERICA

1920 Thoreau Drive
Suite 165
Schaumburg, IL 60173 USA
Phone: 888-303-RFID (7343)
Fax: 847-925-1260

EUROPE

Wegalaan 57
2132 JD Hoofddorp
The Netherlands
Phone: +31-235681200
Fax: +31-235681222

CHINA

Rm. 302, AZIA Center,
1233 Lujiazui Ring Road
Pudong New Area, Shanghai
200120, PRC.
Phone: +86-21-5888-1666
Fax: +86-21-5888-7633/7933