

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Wireless two-way 6 mm (0.24") articulating camera with 2 m (78") probe with short macro focus

P/N: VSA2-2M-W

Copyright

© 2017, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: VSA2-2M-W Release: Commit: 29700 Language: en-US Modified: 2015-10-16 Formatted: 2017-02-26

Website

http://www.flir.com

Customer support

http://support.flir.com

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



Part No.	VSA2-2M-W
General information	
Short description	Wireless two-way 6 mm (0.24") articulating camera with 2 m (78") probe with short macro focus
Compatible main unit	VS70
Integrated handset	Yes
Wireless capabilities	2.4 GHz to main unit
Compatible wireless handset	N/A
Compatible detachable cameras	N/A
Warranty	2 years
Camera specifications	
Articulation	Two-way 240 ± 20° manual tip articulation
Diameter	6 mm
Resolution	VGA (640 × 480 pixels)
Probe length	2 m
Focal length	20–60 mm
Field of view	56°
Imaging sensor	CMOS
Video format	NTSC
Brightness control	Manual with variable options
Lamp type	LED
Power system	
Power requirements	Integrated rechargable battery
Run time	2 hours continuous use

1 (2) www.flir.com



Wireless two-way 6 mm (0.24") articulating camera with 2 m (78") probe with short macro focus

P/N: VSA2-2M-W

© 2017, FLIR Systems, Inc. #VSA2-2M-W; r. /29700; en-US

Auto power off Power adapter 100–240 V input/5 V DC output Environmental data Operating temperature -10 to 50°C (14–122°F) Operating humidity 80% maximum -40 to 80°C (–40 to 176°F) Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Environmental data Operating temperature -10 to 50°C (14–122°F) 80% maximum Storage temperature -40 to 80°C (-40 to 176°F) Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Operating temperature -10 to 50°C (14–122°F) Operating humidity 80% maximum Storage temperature -40 to 80°C (-40 to 176°F) Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Operating humidity Storage temperature -40 to 80°C (-40 to 176°F) Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Storage temperature -40 to 80°C (-40 to 176°F) Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Physical data Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Weight 0.43 kg (0.95 lb.) Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Dimensions (H × W × L) 190 mm × 70 mm × 63.5 mm (7.5" × 2.75" × 2.5") Material PC-ABS, rubber hand grip, nylon strap Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
2.5") Material PC-ABS, rubber hand grip, nylon strap Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Color Gray, black Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn Packaging weight 1.4 kg
Shipping information Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn
Packaging type White box with FLIR accessory printing Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn Packaging weight 1.4 kg
Packaging contents White box with FLIR accessory graphic, camera camera attachments: mirror, anti-snag tip, magn Packaging weight 1.4 kg
camera attachments: mirror, anti-snag tip, magn Packaging weight 1.4 kg
D. I
Packaging dimensions ($H \times W \times L$) 43 cm \times 37 cm \times 7.5 cm
Carton weight 6.5 kg
Carton dimensions (H \times W \times L) 45 cm \times 31 cm \times 39 cm
Carton quantity 4
EAN-13 0793950400845
UPC-12 793950400845
Country of origin TW
Tariff code 9013909000
Technical support
Website http://support.flir.com
E-mail TMsupport@flir.com
Phone 855-499-3662
Repairs repair@flir.com

2 (2) www.flir.com