



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





25 mm camera head for spool, spool (VCS-20 or VCS-30) needed for operation

P/N: VSC25

Copyright

© 2014, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: VSC25

Release: -

Commit: 14349

Language:

Modified: 2014-05-26

Formatted: 2014-05-27



Part No.	VSC25
General information	
Short description	25 mm camera head for spool, spool (VCS-20 or VCS-30) needed for operation
Compatible main unit	VS70
Integrated handset	No
Wireless capabilities	N/A
Compatible wireless handset	With optional VST
Compatible detachable cameras	N/A
Warranty	2 years
Camera specifications	
Articulation	No
Diameter	25 mm
Resolution	VGA (640 × 480 pixels)
Probe length	N/A
Focal length	65 mm to infinity
Field of view	72°
Imaging sensor	CMOS
Video format	NTSC
Brightness control	Manual with variable options
Lamp type	LED
Power system	
Power requirements	N/A
Environmental data	
Operating temperature	−10 to 50°C (14–122°F)
Operating humidity	80% maximum
Storage temperature	−40 to 80°C (−40 to 176°C)
Physical data	
Weight	See shipping information
Dimensions (H × W × L)	See shipping information
Material	Stainless steel, PC-ABS, rubber hand grip, nylon strap
Color	Gray, black



25 mm camera head for spool, spool (VCS-20 or VCS-30) needed for operation

P/N: VSC25

© 2014, FLIR Systems, Inc.

#VSC25; r. -/14349;

Shipping information	
Packaging type	White box with FLIR accessory printing
Packaging contents	White box with FLIR accessory graphic, camera
Packaging weight	0.23 kg
Packaging dimensions (H × W × L)	23.5 cm × 7.5 cm × 7 cm
Carton weight	7 kg
Carton dimensions (H × W × L)	47 cm × 25.5 cm × 30 cm
Carton quantity	24
EAN-13	7332558007587
UPC-12	793950400913
Country of origin	TW
Tariff code	9013909000