



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# VSC7423

7-Port, Layer-2 Gigabit Ethernet Switch with VeriTime™, 5 Integrated Copper PHYs, and Embedded 32-bit CPU

Microsemi's next-generation Ethernet switch delivers a comprehensive, end-to-end Carrier Ethernet solution.

VSC7423 is one of the most versatile GbE switches in the industry. It integrates seven SGMII ports, five Gigabit Ethernet copper PHYs, and an embedded CPU into a single package. It also provides full support for MEF service delivery, network OAM, and Synchronous Ethernet (SyncE) timing. It is ideal for Telecom and Carrier Ethernet applications, Mobile and Microwave backhaul applications, and for provider service demarcation points in Edge and Access devices.

For critical network timing, the VSC7423 device uses VeriTime™, Microsemi's patent-pending distributed timing technology that delivers the industry's most accurate IEEE 1588v2 implementation.

The VSC7423 device can be configured to support combinations of up to five SGMII ports, five GbE Cu PHYs, and two 1G/2.5G SGMII uplink ports. One of the SGMII ports can be dedicated to the CPU for packet insertion and extraction. Its powerful, embedded 416 MHz MIPS 32-bit CPU with DDR2 external memory and DMA-based frame extraction and insertion supports VeriTime™, Ethernet OAM, and performance monitoring. VSC7423 meets IEEE 802.3az requirements for green, SyncE operation with Microsemi's ActiPHY™ and PerfectReach™ modes.


A comprehensive application programming interface (API) and software package are provided for Carrier Ethernet applications. The software package integrates easily with third-party software, preserving existing software investments while adding new, enhanced carrier functionality.

## Highlights

- Fully integrated copper PHYs
- Integrated timing: VeriTime™, SyncE
- EcoEthernet™ 2.0 with ActiPHY™, PerfectReach™, and support for IEEE 802.3az Energy Efficient Ethernet

## Applications

- Carrier Ethernet switches
- Mobile and Microwave backhaul
- Ethernet Access Devices (EAD): CPE, NTE, and MTU





# VSC7423

7-Port, Layer-2 Gigabit Ethernet Switch with VeriTime™, 5 Integrated Copper PHYs, and Embedded 32-bit CPU

## I/O Configurations

- Up to 5x 10/100/1000 Cu PHY
- Up to 5x 10/100/1000 SGMII
- 2x quad-speed 10/100/1000/2500 Mbps SGMII
- Up to 7 ports supporting 100BASE-FX or 1000BASE-X SerDes

## Architecture

- Shared memory buffer with per-port and CoS memory management
- 4 Mb packet memory
- Hierarchical MEF-compliant policing and scheduling
- 8 priorities and 8 CoS queues per port with strict or deficit-weighted round robin scheduling
- Shaping/policing per queue and per port
- Advanced security and prioritization available through a multi-stage TCAM engine
- 5x integrated 10/100/1000BASE-T Ethernet copper transceivers (IEEE 802.3ab-compliant) with ActiPHY™ and Perfect-Reach™ power management and VeriPHY™ cable diagnostics
- Integrated 416 MHz MIPS CPU with DDR2 and serial flash interface

## Layer 2 Switching

- 802.1Q VLAN switch with 8K MACs and 4K VLANs
- Push/pop up to two VLAN tags
- IPv4/IPv6 multicast
- Policing with storm control and MC/BC protection
- RSTP and MSTP support
- Hardware and software-based learning
- Link aggregation (IEEE 802.3ad)

- Independent and shared VLAN learning (IVL, SVL)
- Jumbo frame support

## Key Specifications

- 27 mm × 27 mm BGA thermally enhanced package
- Operating temperature –40 °C to 125 °C

## VeriTime™ Features

- Level-2 IEEE 1588v2
- Boundary clock and transparent clock


## Carrier Ethernet Features

- Provider Bridging (PB)
- MEF E-Lane, E-Line, and E-Tree services
- Dual leaky bucket policers with re-marking and statistics
- OAM and protection switching
- Level-1 Synchronous Ethernet (SyncE)
- Enhanced Carrier Ethernet API

## Related Products

Visit [www.microsemi.com](http://www.microsemi.com) for information about these related products:

- VSC7428 11-Port, Layer 2, GbE Carrier Ethernet Switch with VeriTime™
- VSC7460/VSC7462 24/12-Port GbE Carrier Ethernet Switch with VeriTime™
- VSC7416/VSC7418 7/11-Port, 1GbE Carrier Ethernet Switch with VeriTime™
- VSC7429 26-Port Layer 2 Gigabit Ethernet Switch with VeriTime™, 12 Copper PHYs, and Embedded CPU



**Microsemi Corporate Headquarters**  
 One Enterprise, Aliso Viejo, CA 92656 USA  
 Within the USA: +1 (800) 713-4113  
 Outside the USA: +1 (949) 380-6100  
 Sales: +1 (949) 380-6136  
 Fax: +1 (949) 215-4996  
 email: [sales.support@microsemi.com](mailto:sales.support@microsemi.com)  
[www.microsemi.com](http://www.microsemi.com)

Microsemi Corporation (Nasdaq: MSCC) offers a comprehensive portfolio of semiconductor and system solutions for communications, defense and security, aerospace, and industrial markets. Products include high-performance and radiation-hardened analog mixed-signal integrated circuits, FPGAs, SoCs, and ASICs; power management products; timing and synchronization devices and precise time solutions; voice processing devices; RF solutions; discrete components; enterprise storage and communications solutions, security technologies, and scalable anti-tamper products; Ethernet solutions; Power-over-Ethernet ICs and midspans; custom design capabilities and services. Microsemi is headquartered in Aliso Viejo, California, and has approximately 4,800 employees worldwide. Learn more at [www.microsemi.com](http://www.microsemi.com).