imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



StorFly[®] M.2 SATA 6G SSD & PCIe CE, XE and PE Classes

Industrial Embedded Technology for an Interconnected World

StorFly M.2 SSDs are designed to deliver high performance in a small form factor for many of today's space-constrained system requirements.



Designed, programmed, built and supported in the U.S. fortified by locations worldwide.

Overview

Virtium's StorFly SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly M.2 products meet MIL-STD-810F standards for shock, vibration and altitude. Virtium backs its world-class storage products with a three or five year warranty and delivers the longest product life cycles in the industry.

Applications

StorFly M.2 SSDs are designed to deliver high performance in a small form factor for many of today's space-constrained system requirements. They are particularly well-suited for a broad variety of embedded infrastructure applications that include networking base stations, industrial automation equipment, and transportation control and data logging systems.

Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessable
- Global static and dynamic wear leveling





Specifications

Interface	SATA 6G (SATA III), 3G an	d 1.5G	
Voltage / Power	3.3v / 1.7W		
UBER	<1 sector error in 10 ¹⁵ bits	read	
MTBF	> 2M hours		
Environmental	MIL-STD-810F		
Compliance	ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE		
Dimensions (mm)	42.15 x 22.15 x 3.65 (2242) 80.15 x 22.15 x 3.65 (2280)		
	CE	XE	PE

Good	Better	Best
MLC	iMLC	SLC
30GB-480GB	30GB-480GB	8GB-256GB
1X Baseline	7X Baseline	30X Baseline
0° to 70°C	-40° to 85°C	-40° to 85°C
3 Years	5 Years	5 Years
	MLC 30GB-480GB 1X Baseline 0° to 70°C	MLCiMLC30GB-480GB30GB-480GB1X Baseline7X Baseline0° to 70°C-40° to 85°C

* Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSFBMxxx(C/I)yyyG-zzz

where: VSF = Virtium StorFly BMxxx = Form factor and product class (C/I) = Commercial/Industrial operating temp. yyyG = Capacity (1GB = 1,000,000,000 bytes) zzz = Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.

