



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501



Features

- Very Low profile
- Compact size W x L x H (25 x 87 x 0.2 mm)
- Low weight (1.35 g)
- Cable feed with I-PEX connector (U.FL compatible)
- Lead free materials
- Lead free soldering compatible
- RoHS Compliant Product

Applications

- Frequency range (GSM 850 / GSM 900 / DCS / PCS)

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on device mechanics

GSM 850: 824 – 894 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [° C]
824 – 894	1.33	50 / -3.0	-7	50	-45 to +85

Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

GSM 900 : 880 – 960 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
880 – 960	1.50	55 / -2.6	-6.5	50	-45 to +85

DCS : 1710 – 1880 MHz

Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
1710 – 1880	3.75	50 / -3.0	-8	50	-45 to +85

PCS : 1850 – 1990 MHz


Typical free space performance, measured in test unit mechanics

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return loss min. [dB]	Impedance [Ω]	Operating Temperature [$^{\circ}$ C]
1850 – 1990	3.45	50 / -3.0	-8	50	-45 to +85

Cable and Connector Configuration

Cable length: 56 mm

Cable outer diameter: 1.13 mm



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501

www.pulseeng.com/antennas

 **Pulse**
A TECHNITROL COMPANY


© 2008. All Rights Reserved.

Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

Test Unit and Antenna Location

Test unit size 150 x 100 x 40mm



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501



www.pulseeng.com/antennas

Internal Quad Band PWB Antenna


(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

Typical Electrical Characteristics 600 – 2300 MHz (T=25 °C)


Measured on the test board, Typical Return Loss S11/ impedance



3501 Internal Quad Band Antenna Efficiency



3501 Internal Quad Band Antenna Max Gain



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

824 – 894 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

880 – 960 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

1710 – 1880 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501





www.pulseeng.com/antennas



Internal Quad Band PWB Antenna

(25 x 87 x 0.2 mm, PWB antenna) Pulse Part Number: W3501

1850 – 1990 MHz Typical Free Space Radiation Patterns



Pulse Finland Oy

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501

www.pulseeng.com/antennas

