

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Digital Soldering Station, 80W, 120 V, With WP80 Pencil



◀◀ previous

Catalog No.

Accuracy

Packaging

Literature

Low Res. Image

High Res. Image

Stock Item

print

Product Details

close

WD1002

Industrial

Box/Carton

550517.pdf

WD1002_100.jpg

WD1002_300.jpg

Normal Stock Item

next 🕪

Package Details (Dimensions)

Email this Page

Product Features:

- WP80 pencil offers 80 watts of power with medium tip-to-grip (52mm)
- Barrel can be exchanged with optional longer version to work at standard length (65 mm)
- Unique silver heater allows fast, efficient soldering ideal for lead-free
- 3 "radio buttons" allows pre-set of frequently used temp settings
- Setback, lockout, temp window, F / C switching, standby, auto-off time
- Large high contrast LCD display displays more information at a glance
- Iron stand has adjustable tilt angle in 4 positions ranging from 30-80 degrees
- ESD safe to protect sensitive components