

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







NYLON 6/6 (RMS-01) COLOR: NATURAL PART NO. (NOTE 4)	UV STABILIZED (RMS-46) COLOR: BLACK PART NO.	MAX. BUNDLE DIA.	LENGTH "L" APPROX.	`UL94-VÓ´ COLOR: NATURAL	"-HT" TO P/N	LOW TEMPERATURE COLOR: BLACK TO ORDER ADD	NYLON 6/6 HEAT STABILIZED (RMS-47) UL 94-V2 COLOR: BLACK TO ORDER ADD "-HS" TO P/N	COLOR (NOTE 2.)	FIGURE NO.
WIT-18SF	WIT-18SF-UVB	5/8 (15.9)	3-1/4 (82.6)	SPECIAL	SPECIAL	SPECIAL	SPECIAL	SPECIAL	
WIT-18R	WIT-18R-UVB	3/4 (19.1)	4-33/64 (114.7)	STANDARD	STANDARD	SPECIAL	STANDARD	STANDARD	1
WIT-18L	WIT-18L-UVB	1-3/8 (34.9)	5-3/4 (146.1)						
WIT-18V	WIT-18V-UVB	2-1/8 (54.0)	8.0 (203.2)	N/A	N/A	SPECIAL	SPECIAL	SPECIAL	2
WIT-18X	WIT-18X-UVB	4-1/2 (114.3)	15-1/2 (393.7)						۷.

.04 (1.0) REF.

.10 (2.5) REF.

OBSOLETED CO 200524, 04.22.10

SEE NEW DRAWING "WITA"

NOTES:

1. MIN. LOOP TENSILE: 2. COLORS: GREEN (-G TO ORDER, ADD CO	18 lbs N), BLUE (-BL), RED (-RD), LOR SUFFIX TO PART NO.		·	-			—— "L FIG.					
NEON-YELLOW (-NYL	(L), NEON—GREEN (—NGN), .), NEON—PINK (—NPK) (—NOR), AVAILABLE BY SPECIAL ORDER ONLY		<u>_</u>	16 (4.1)				Ţ	06 (1.5) REF.	_		
3. MATERIAL HAS A UL OF 266°F (130°C).	RELATIVE THERMAL INDEX		<u>†</u>	21 (5.3)				†	10 (2.5)			
4. SPECIFIED MATERIAL	COMPLY WITH STANDARD SS-00259-1.		<u> †</u>				***************************************	<u> </u>	REF.			
I SE	E CO 200188 FOR CHANGES	SK 0	05.21.08					†				
H SE	SEE CO 200134 FOR CHANGES		228.08	-				"				
G SE	SEE ECN #862 FOR CHANGES		10.04.04	·			FIO (·		·		
F Si	SEE ECN #724 FOR CHANGES		11.07.03	FIG. 2								
E AD	DED NOTE 4, SEE ECN #596	SM (3.12.03									
D UPDATED TA	ABLE AND MAT'L NOTES PER CATALOG	SM (05.02.02	TITLE:	<u> </u>	1	8	SF	RIES	⊕ ∈	DWG IN	
C ADDED	NOTE 3. AND CHANGED FILE NO.	SM (08.09.01	TOLERANCES	FILE #	WIT-18		DWN: SM	APP:		── INCHES ` FINAL	
В	MAT'L RMS-47 ADDED	J.L.	08.16.00	UNLESS NOTED	MAT'L: S	SEE NOTES	& TABLE	DT: 05/02	/02 DT:	PART #		PRINT
Α	MAT'L RMS-46 ADDED		6.3.98	.XX=±.010 .XXX=±.005	RE:	RICHCO, I	NC.	RIC PO BOX 80	HCO INC. 4238,chicago,60680	SEE	TABLE	TYPE
REV	DESCRIPTION	ENGR	DATE	FRAC=±1/64 ANG=±1*		ŕ			5) 539-4060			CA

_ .15 (3.8)

__ .19 (4.8)

(b)