

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







SERPAC WM023-RI (exploded isometric) PN 6102 (2) Threaded inserts **WM02** 2.65 2.10 He ig ht 2-3-RI 2.12 \emptyset .14 typ. Insert Are a 6 plc 's No n-te xture .010: re c e sse d 2.27 PN 6019 (2) Stainless steel screws Water proofing gasket PS-12 optional. see note #2 3.62 Insert Are a No n-te xture .010: re c e sse d DESCRIPTION (Included) ACCSESSORIES (Optional) TOP 2.3-RI PART DESCRIPTION 1) Enc lo sure meets or exceeds IP40 and NEMA 1 2) When used with PS-12 the enclosure meets or exceeds WM02 BOTTOM PS-12 Perimeter Seal IP 67 and NEMA 4X, 12 and 13 MIL-SID-810G 506.5 4-40 SCREW (2) 3) Circuit Board drawings can be download at: ALL DIMENSIONS ARE ± .010" 5/28/09 (1 of 2) 6102 THREADED INSERTS (2) http://www.serpac.com/Products/Accessories/CircuitBoard/drawings/CB_WMX23.pdf 619 Commercial Ave. Covina, CA 91723 4) All components are RoHS Compliant. Ph. (626) 331-0517 Fx. (626) 331-8584 se pac.com

ERPAC WM023-RI (user print) 2.12 Insert Are a 2.10 2.65 .30 1.85 $\emptyset.12$ 6 plc 's 0 φ 0 1.66 Insert Are a $\emptyset.25$ 3.25 2 plc 's 4.57 5.09 4.10 0 Insertarea Ø.14 6 plc 's No n-Te xture \emptyset .09 typ. fo r 2.13 0.010" re c e sse d for#4 screw #4 screws \emptyset .25 typ. Insert Are a 2.60 .31 typ. \emptyset .26 typ. .010 re c e sse d 4 plc 's TOP .10 typ.wall BO TTO M No te s: SECTION A-A \emptyset .32 typ.

PART NO.	DESCRIPTION (Included)	ACCSESSORIES (Optional)	
2-3-RI	TOP	PART NO.	DESCRIPTION
WM02	воттом	PS-12	Perimeter Seal
6019	4-40 SCREW (2)		
6102	THREADED INSERTS (2)		

1) Enclosure meets or exceeds IP40 and NEMA 1

2) When used with PS-12 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-SID-810G 506.5

3) Circuit Board drawings can be download at:

 $http://www.se~rp~a~c~.c~o~m/Pro~d~uc~ts/Ac~c~e~sso~rie~s/C~irc~uitBo~a~rd/d~ra~wing~s/C~B_WMX23.p~d~f$

.23 typ.

4 plc's

SCALE 1: 1.5

4) All components are RoHS Compliant.

ALL DIMENSIONS ARE ± .010" 5/28/09 (2 of 2) 619 Commercial Ave. Covina, CA 91723 Ph. (626) 331-0517 Fx. (626) 331-8584 www.se pac.com

2 plc 's