

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









RELECTION (USER PRINT) $\emptyset.12$ 5.50 6 plc 's .02 $\emptyset.25$ 4 plc 's 0 9.97 0 0 2.00 8.75 10.49 0 0 9.50 \emptyset .14 6 pk's fo r #4 screws \emptyset .26 typ. .09 Ø.26 typ 6.34 typ. for 4 plc's .31 typ. #4 sc re w TOP 4 plc 's BOTTOM typ. SECTION A-A \emptyset .32 typ. .23 typ. SCALE 1: 2.75 4 plc 's DESCRIPTION (Included) ACCSESSORIES (Optional) 1) Enclosure meets or exceeds IP40 and NEMA 1 2) When used with PS-19 the enclosure meets or exceeds PART DESCRIPTION IP 67 and NEMA 4X, 12 and 13 MIL-SID-810G 506.5 WM09 BOTTOM Non-skid Feet 3) Circ uit Board drawing scan be download at: 6017 4-40 SCREW (6) Perimeter Seal ALL DIMENSIONS ARE ± .010" 6/05/09 (2 of 2) http://www.serpac.com/Products/Sseries/x9x/drawings/19X-CB.pdf

4) All components are RoHS Compliant.

619 Commercial Ave. Covina, CA 91723

Ph. (626) 331-0517 Fx. (626) 331-8584 www.se pac.com

6102 THREADED INSERTS (6)