imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









No hassle warranty

No waiting.

No shipping charges.



Our commitment to high-quality products and customer service is demonstrated by our industry exclusive "No Hassle" warranty. In the unlikely event that an Amprobe Test Tool requires warranty service, any of our local dealers are authorized to replace it, on the spot.

(note: \$500 MSLP limit)

WT-20 Conductivity / TDS Pen-Type Water Quality Meter

Keep the costs and risks of maintaining water quality, distribution and waste under control with these easy to use, one touch water management testers. Allows facility managers to take control of monitoring regulatory compliance and troubleshoot corrosion in building water/waste water systems.

- Dual LCD display with conductivity or TDS and temperature (selectable C and F)
- Adjustable TDS factor from 0.4 to 1.0
- Waterproof and dustproof IP65
- Convenient to use membrane keypad
- Quick response and easy to calibrate
- Auto power off
- Data hold
- Pen size, easy to fit in pocket.
- Low battery indicator
- Auto power off disable
- **Easy one-touch multi point calibration**



Data Sheet



WT-20 Conductivity / TDS Pen-Type Water Quality Meter

Data Sheet

Specifications

Weight	Approx. 56g (0.12 lb)
Dimension	165 x 35 x 32mm (6.5 x 1.4 x 1.3 in)
Calibration	2 point (Calibration range is ± 30% of factory default parameter)
Power Requirements	4x 1.5V batteries (Type A76 or LR44)
Normalization Temperature	20°C or 25°C (68°F or 77°F)
Temperature Coefficient	0~4.0% per degree C
Temperature Compensation	0°C to 50°C (32°F to 122°F)
Operating Temperature	0°C to 50°C (32°F to 122°F)
Calibration Standard Range	(0.2~1)* full scale
Accuracy	±1% Full Scale ±1 dgt
Resolution	1 uS or 0.01mS or 0.01ppt or 1ppm
TDS Range	0~1999 ppm / 0~19.99 ppt
Conductivity	0~1999 uS / 0~19.99 mS

Amprobe® Test Tools

website: www.Amprobe.com email: info@amprobe.com Everett, WA 98203 Tel: 877-AMPROBE

Amprobe® Test Tools Europe

In den Engematten 14 79286 Glottertal, Germany Tel.: +49 (0) 7684 8009 - 0

©2009 Amprobe Test Tools. All rights reserved. 7/2009 3520488 Rev A