

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










X-NUCLEO-GNSS1A1

GNSS expansion board based on Teseo-LIV3F module for STM32 Nucleo

Data brief



Features

- Operating supply voltage: 3.3 5 V
- Ambient temperature: -40/+85 °C
- Sensitivity: -162 dBm indoor (tracking mode)
- Interfaces:
 - a UART port
 - an I2C port
 - Configurable digital I/O timepulse
 - EXTINT input for wakeup
- NMEA protocol
- Assisted GNSS:
 - Predictive autonomous
 - Predictive server-based
 - Real-time server-based
- Compatible with STM32 Nucleo boards
- Compatible with the Arduino™ UNO R3 connector
- LNA and SAW filter on the RF path
- SMA female antenna connector
- Battery holder
- RoHS compliant

Description

The X-NUCLEO-GNSS1A1 expansion board is based on the *Teseo-LIV3F* tiny GNSS module.

It represents an affordable, easy-to-use, global navigation satellite system (GNSS) module, embedding a TeseoIII single die standalone positioning receiver IC, usable in different configurations in your STM32 Nucleo project.

The Teseo-LIV3F is a compact (9.7x10.1 mm) module that provides superior accuracy thanks to the on-board 26 MHz temperature compensated crystal oscillator (TCXO) and a reduced time-to-first fix (TTFF) with its dedicated 32 KHz real-time clock (RTC) oscillator.

The Teseo-LIV3F module runs complete GNSS firmware (X-CUBE-GNSS1) to perform all GNSS operations including acquisition, tracking, navigation and data output without external memory support.


The X-NUCLEO-GNSS1A1 expansion board is compatible with the Arduino™ UNO R3 connector and the ST morpho connector, so it can be plugged to the STM32 Nucleo development board and stacked with additional STM32 Nucleo expansion boards.



DocID031286 Rev


Schematic diagram

Figure 1: X-NIICI EO-GNESTAT









DocID031286 Rev 1

Figure 3: X-NUCLEO-GNSS1A1 circuit schematic (3 of 3)

VCC_RF RF In Section R22 OR NM SMD0402 R15 0R SMD0402 R23 0R AntOFF >> C1 1nF SMD0402 SMD0402 R24 10K 를 GND GND U2 BGA925L6 SMD0402 R16 L1 424 C3 ->> RF_IN 120pF _C6 OR GND = C5 3.9pF NM B4327 N m 3.9pF NM SMD0402 L2 R18 R17 OR NM OR NM SMD0402 ≻ 56nH ∖ SMD0402 GND D4 ESDARF02-1BU2CK GND SMD0402 R26 OR SMD0402 R28 OR NM R29 3R SMD0402 NM U3 R20 R27 0R Current_L VV OR Vout -</ VCC_RF SMD0402 C7 1µF SMD0805 R25 0R GND C8 2.2µF SMD0805 SMD0402 ON ОС NM 슾 SMD0402 TPS22943 를 는 GND

R21 100k SMD0402



4/6

DocID031286 Rev 1

X-NUCLEO-GNSS1A1 Revision history

Revision history

Table 1: Document revision history

Date	Version	Changes
05-Dec-2017	1	Initial release.

IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics - All rights reserved