imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





AVB AUDIO ENDPOINT PLATFORM

Ethernet AVB Audio Endpoint Development Platform



FEATURES

• AVB audio hardware development and reference software platform

- 100Mbit Ethernet ports
- Simultaneous talker & listener
- o 8 channel input and output
 - \circ 2 channels as analog (in & out)
 - 6 channels as I2S (in & out)
- AVB standards compliant
 - Time synchronization: 802.1AS
 - Traffic shaping: 802.1Qav
 - \circ Bandwidth reservation: 802.1Qat
 - $\,\circ\,$ Media transport: IEEE 1722 $\,$
 - $\,\circ\,$ Discovery and management: 1722.1
- Bit perfect AVB audio transfer
 - \circ 8 channels in & out at 48kHz, 24bits
 - 4 channels in & out at 96kHz, 24bits
 - PLL recovery of AVB media clock
- Royalty free software stack
 - $\,\circ\,$ Provided as source code
 - Freely available development tools

To address the rapid growth in adoption of AVB for audio transport XMOS and Attero Tech have jointly developed a AVB Audio Endpoint solution consisting of the flexible XMOS software-only implementation of AVB audio and a low-cost hardware design supporting up to 8 duplex channels of audio.

Powered by an xCORE[™] flexible multicore microcontroller, the AVB reference software is configurable. This allows you to choose the number of streams and audio channels, sample rate and interfaces to external devices. It is even possible to integrate DSP processing and housekeeping functions using spare logical processing cores, providing a compact yet complete solution for a wide range of audio applications.

Thanks to the maturity and wide-spread adoption of the XMOS AVB solution and active participation in AVnu plugfests, our AVB endpoint platform delivers the compromise-free audio networking promised by AVB.

Backed up by our flexible hardware platform called sliceKIT, xSOFTip software IP blocks, comprehensive documentation and examples, the AVB Endpoint platform offers the easiest way to implement your AVB enabled audio product.




AVB Audio Endpoint Platform PRODUCT BRIEF

ARCHITECTURE

The AVB Endpoint design consists of an Ethernet MAC with packet forwarder, audio subsystem, network & media clock management and system control.


All functions, including the network, clocking and audio interfaces, are implemented as software IP running on logical cores inside the xCORE device; allowing for system customisation using C.



APPLICATIONS

XMOS AVB audio endpoint solutions allow flexible star and/or chain network topologies and are ideal for many applications, such as:

- Line array speakers
- Conference microphones
- Wireless base stations



	Feature	Benefit
AVB	AVB standard compliant endpoint	Plug-and-play operation AVnu plugfest proven interoperability with other vendors
())	Multi-channel audio input and output Digital and analog audio formats	Ideally suited for networked audio applications, such as: professional audio, conferencing or automotive
III: X SACIS	Powered by xCORE-GeneralPurpose multicore microcontroller	Flexible, deterministic and responsive processing power Single device multicore microcontroller – low system BoM
	Flexible hardware & software platform	Predefined feature set reference software Easily customizable to meet specific product requirements
XTIMEcomposer	Source code reference software Integrated development tools suite	Rapid development and code reuse Royalty-free deployment. Fast time to market

ORDERING INFORMATION

For a list of XMOS distributors, please visit <u>www.xmos.com/support/distributors</u>.

Part number	Contents	
XK-AVB-LC-SYS	An AVB Endpoint kit contains two complete AVB endpoints, together with power supplies and cables 2x XR-AVB-LC-BRD AVB audio endpoint board	
	2x XA-XTAG2 xTAG2 debugger 2x 5V PSUs, 2x Ethernet cables	

© 2014 XMOS LTD



Third party trademarks are hereby acknowledged. This is a preliminary product brief, contents are subject to change.