

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

















RECOMMENDED P.C.B LAYOUT TOP VIEW

MATERIALS & ELECTRICAL

RATED VOLTAGE & CURRENT: 250 V, 15 A
WITHSTAND VOLTAGE: AC 2000 V/Min

INSULATION RESISTANCE: 1000 MΩ OR MORE AT DC 500 V

OPERATING TEMPERATURE RANG: -40 °C ~ +115 °C SCREW TORQUE VALUE: 5.3 Lb-In.
WIRE RANGE: 22 - 16 AWG

1)HOUSING: THERMOPLASTIC, UL 94 V-0 BLACK

2) TERMINAL: BRASS, 0.8t 3) TERMINAL SCREWS: STEEL, M3


APPROVAL: 🖫

DIMENSION

Dim A	(N-1)×7.62+9.12
Dim B	(N-1)×7.62

N=Number of noles

N=Number of poles								
Poles	Tolerance							
2p-5p	±0.20							
6p-10p	±0.25							
11p-16p	±0.35							
17p-24p	±0.40							
25p-30p	±0.50							





1

RoHS compliant (lead<4%) In copper Alloy

ma	mat'l. code			surface /tolerance					pro	ject	ion	pro	duct	far	mily								
					ASME Y14.5 √ ASME				E Y14.5		(A -		7	TERMINAL BLOCK									
Itr	ecr	no	dr	dat	e	tolerances unless otherwise specified					(<i>7</i>	コ	title	€								
						anal	angles b X.±0					-	ММ	_] т	ERMI	NAL	BLOC	K				
										0.3													
						X°±	1		X.XX:	±0.1		scale			BARRIER TYPE								
						dr EVAN LU			061	214				dwo	j no			S	sheet 1 of 1 s				
						engr	gr EVAN LU		061	214	FC i.					VK3	′K316xx0x0J0G					١,,	
						chr HANKE FENG			061	214	FÇj			DOCONONICITI								A 4	
						appd	SHI JUN			061214					type					CUSTOMER Drawi			wing
she	et	revi	sion	Α																			
inde	ex	she	et	1																			

PDS: Rev :A 3

form: A4mmXLc

В

STATUS:Released

Printed: Jul 22, 42014

2

В