

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











FÇi


FCIconnect.com


31



2







MATERIALS & ELECTRICAL

RATED VOLTAGE & CURRENT: 300V 25A WITHSTAND VOLTAGE: AC2000V/min

INSULATION RESISTANCE: 1000 M OR MORE AT DC 500 V

-40 °C ~ +115 °C OPERATING TEMPERATURE RANG: SCREW TORQUE VALUE: 10.54 Lb-In

WIRE RANGE: 22-12 AWG

1) HOUSING: Thermoplastic, UL 94 V-0 BLACK

2) TERMINAL: BRASS, 0.8t 3) TERMINAL SCREWS: STEEL, M3.5

DIMENSION

Dim A	N×9.5+1.5						
Dim B	(N-1)×9.5						

N=Number of poles

Poles	Tolerance
2p-4p	±0.20
5p-8p	±0.25
9p-16p	±0.35
17p-23p	±0.40
24p-30p	±0.50

PART NO.:YK 44Axx 0 x 0 J0G

... ... 30 30 poles

1



Lode	lerminal	screw	
0	G/F	G/F	
1	G/F	Zinc	
2	Tin	G/F	
3	Tin	Zinc	

RoHS compliant (lead<4%) In copper Alloy

mat'l. code				surface /toleran				rand	се	projection			product family										
				ASME Y14.5 √ ASME Y1				Y14	.5	⊕ ←			TERMINAL BLOCK										
Itr	ecn	no	dr	dat	е	tolera	nces u	ınless	otherw	ise sp	ecified	y	9 5	7	title	•							
						angl	والم	X.±0.5			MM		TERMINAL BLOCK										
							⊆	X.X±0.3		0.3	ე.3												
						X°±	1		X.XX	(±0.1		scale			BARRIER TYPE								
						dr EVAN LU		061	614			dwg no					sheet 1 of 1			size			
						engr	E۱	EVAN LU		/AN LU 061614		F	C	Ī.	YK44Axx0x0J0G						A ₄		
						chr	chr HANKE FENG		E FENG 061614		FCj				1117	T/\/\					M 4		
						appd	Sł	SHI JUN		061614		7		type					CUSTOMER Dr			wing	
she	et [r	revis	sion	Α																			
ind	ex s	sheet		1																			
										3													4

В

Α

2

STATUS:Released

form: A4mmXLc

PDS: Rev :A

Printed: Jul 16, 2014

В