

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











FCIconnect.com


3











MATERIALS & ELECTRICAL

RATED VOLTAGE & CURRENT: WITHSTAND VOLTAGE:

INSULATION RESISTANCE:

OPERATING TEMPERATURE RANG:

SCREW TORQUE VALUE:

WIRE RANGE:

1) HOUSING:

2) TERMINAL:

3) TERMINAL SCREWS:

APPROVAL: calus

PDS: Rev :A 3

300 V, 20 A AC 2000 V/Min

1000 MO OR MORE AT DC 500 V

-40 °C ~ +115 °C

12 Lb-In.

22 - 12AWG

THERMOPLASTIC, UL 94 V-0 BLACK

BRASS, 0.8t

STEEL, M3.5

DIMENSION

Dim A	(N+2)×10.0							
Dim C	(N+1)×10.0							
Dim B	(N-1)×10.0							

N=Number of poles

it=itamber or potes								
Poles	Tolerance							
2p-4p	±0.20							
5p-10p	±0.30							
11p-24p	±0.40							
25p-30p	±0.50							

PART NO.: YK 606xx 3 x 0 J0G

No. of poles 02 2 poles 03 3 poles 30 30 poles

Terminal Screw Code 0 G/F G/F G/F Zinc G/F Tin Zinc

Plated

RoHS compliant (lead<4%) In copper Alloy

mat'l. code				surf	surface tolerance ASME Y14.5 ASME Y14.5			pro	ejection product family													
				ASME				5	ld	⊕ ∈	- I	TERMINAL BLOCK										
Itr	ecn	no	dr	date	tolera	tolerances unless otherwise specified						7 -	コ	title								
					angl	٦̈́	X.±0.5			ММ	_	TERMINAL BLOCK										
					ungi	es e	X.X±0.3															
					X,∓	17	,	x.xx:	X±0.1		sca	le		BARRIER TYPE, WITH FLANGE								
					dr	E/	/AN L	'AN LU		14				dwg	j no)		s	heet	1 c	of 1	size
					engr	ΕV	/AN L	U	0614	14	F	FCi			YK606xx3x0J0G							۸.
					chr	HAN	IKE F	KE FENG		061414		FÇj		DOCOXCXXOOOII								A ₄
					appd	SI	H JUI	N	0614	14	•			type					CUSTOMER Dra			wing
sheet index		revi	sion	Α																		
		sheet		1																		

В

form: A4mmXLc

1

2

STATUS:Released

Printed: Jul 16, 2014