

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










PRODUCT NUMBER PITCH YK701xx0x0J0G 11.00mm







Section P-P



RECOMMENDED P.C.B LAYOUT TOP VIEW

MATERIALS & ELECTRICAL

RATED VOLTAGE & CURRENT:

WITHSTAND VOLTAGE: AC 2000 V/Min

INSULATION RESISTANCE:

1000 MΩ OR MORE AT DC 500 V

OPERATING TEMPERATURE RANG:

-40 °C ~ +115 °C

SCREW TORQUE VALUE:

13Lb-In 22 - 10AWG

300 V, 30 A

WIRE RANGE: 1)HOUSING:

THERMOPLASTICS, UL94-V0 BLACK

2) TERMINAL:

BRASS, 0.8t

3) TERMINAL SCREWS:

STEEL, M4.0

DIMENSION

Dim A	N×11.0+2.0
Dim B	(N-1)×11.0

N=Number of poles

Poles	Tolerance							
2p-4p	±0.20							
5p-11p	±0.30							
17p-18p	±0.40							

PART NO.: YK 701xx 0 x 0 J0G

No.	[c	
02	2 poles	Code
03	3 poles	0
• •	J police	1
18	18 poles	2

1

Code	Terminal	Screw				
0	G/F	G/F				
1	G/F	Zinc				
2	Tin	G/F				
3	Tin	Zinc				

Plated

RoHS compliant (lead<4%) In copper Alloy

ma	mat'l. code				surface tolerance				pro	jecti	ion												
					ASME Y14.5 ✓ ASME Y14.5					A -1		TERMINAL BLOCK											
Itr	ecr	no no	dr	dat	е	tolera	tolerances unless otherwis				ecified	1	р <u>-</u>	コ	title	•							
						angl	es e	es b X.±0				MM			ERMI	NAL	BLOC	:K					
						1 1/01	x.x±0																
						X°±	1.		X.XX±0.1		sca	scale		BARRIER TYPE									
						dr	Đ	EVAN LU			114				dwg	, no			s	heet	: 1 0	of 1	size
						engr EVAN LU (061	114	FCj			YK701xx0x0J0G						۸,			
						chr			ENG 061114 * 😅			111/012202000						Αų					
						appd			061114		•				е				CUST	OMER	Dra	wing	
she	et	revi	sion	Α																			
ind	ex	she	et	1																			

PDS: Rev :A 3

В

form: A4mmXLc

2

STATUS:Released

Printed: Jul 16, 2014

В