



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!










## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832



Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







- NOTES
- 1 INTERFACE DIMENSIONS CONFORMS TO USB2.0 SPECIFICATION.
  - 2 CO-PLANARITY IS WITHIN 0.08mm.
  - 3 PLATING  
CONTACT AREA : GOLD 0.75 $\mu$ m MIN.  
LEAD AREA : GOLD 0.05 $\mu$ m MIN.  
UNDER PLATING: NICKEL 2 $\mu$ m MIN.
  - 4 PER REEL : 2000 pcs.
  - 5 AS FOR PART No.3, THE PERFORMANCE REMAINS GOOD EVEN IF THERE IS A RUBBING MOUND BY THE ASSEMBLY PROCESS. AND THE PERFORMANCE REMAINS GOOD EVEN IF THERE IS A DIFFERENCE OF THE COLOR OF PLATING WITH THE MANUFACTURING LOT.
  - 6 CODE CONFIGURATION IS SHOWN IN FIG. 1.

2		COPPER ALLOY	<div>3</div>	5	PE	
1		LCP	COLOR GRAY UL94V-0	4	PS	
NO.	MATERIAL	FINISH . REMARKS		NO.	MATERIAL	FINISH . REMARKS
UNITS	<div>mm</div>	<div>5 : 1</div>	<div>SCALE</div>	COUNT	DESCRIPTION OF REVISIONS	DESIGNED
<div></div>		<div></div>				
APPROVED : NM. NISHIMATSU		15. 10. 27		DRAWING NO.		
CHECKED : KN. ICHIKAWA		15. 10. 27		PART NO.		
DESIGNED : TS. ITO		15. 10. 27		CODE NO.		
DRAWN : AK. AKIYAMA		15. 10. 27		CL242-0027-5-30		
HRS		HIROSE ELECTRIC CO., LTD.		EDC-126264-30-00		
				ZX62D-AB-5P8(30)		
				CL242-0027-5-30		
				1/2		

4 PACKING DETAIL (FREE)



REEL (FREE)



6 FIG-1 LOT CODE CONFIGURATIONS FOR 4 DIGITS

YEAR		MONTH		DAY				LINE No.	
YEAR	CODE	MONTH	CODE	DAY	CODE	DAY	CODE	DAY	CODE
2007	7	Jan.	A	1	1	11	B	21	M
2008	8	Feb.	B	2	2	12	C	22	N
2009	9	Mar.	C	3	3	13	D	23	P
2010	0	Apr.	D	4	4	14	E	24	Q
2011	1	May.	E	5	5	15	F	25	R
		Jun.	F	6	6	16	G	26	S
		Jul.	G	7	7	17	H	27	T
		Aug.	H	8	8	18	J	28	U
		Sep.	I	9	9	19	K	29	V
		Oct.	J	10	A	20	L	30	W
		Nov.	K					31	X
		Dec.	L						11
									10
									9
									8
									7
									6
									5
									4
									3
									2
									1
									A
									B
									C
									D
									E
									F
									G
									H
									I
									J
									K

DRAWING NO.

EDC-126264-30-00

PART NO.

ZX62D-AB-5P8(30)

CODE NO.

CL242-0027-5-30

HS

2

2