



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PRODUCT BRIEF:

Logic PD :: Texas Instruments
www.logicpd.com/ti

DLP® LightCommander™ Development Kit

DLP LightCommander is a highly versatile and easy-to-use development kit for incorporating DLP technology into light processing applications. The modular architecture includes an optical light engine, industry standard interfaces, and application software to expedite system development requiring high-speed spatial light modulation.

A powerful tool for innovation, DLP LightCommander contains a high performance light engine comprised of a core optical module and an LED illumination module. With solid state visible and infrared light sources provided, this modular light engine allows users to easily integrate DLP technology into a multitude of light processing applications.

At the heart of DLP technology is the Digital Micromirror Device (DMD). DLP LightCommander includes PC-based software to control the DMD micromirror timing for programmable, variable speed spatial light modulation. The user-defined control includes binary patterns, 8-bit gray scale, and video projection mode.

The DLP LightCommander takes DLP development to a new level. The fully self-contained kit benefits developers looking to



DLP LightCommander Development Kit


quickly jump-start their system designs. And the versatility of the modular kit architecture accelerates optical, electronic, and system software development.

DLP LightCommander is an easy way to explore and create light steering solutions.

DLP LightCommander :: Features:

- +DMD Board
- +Controller Board
- +XGA (1024 x 768) resolution DMD
- +Core DLP optical module
- +Solid state illumination module (RGB LED & IR LED)
- +Nikon AF NIKKOR 50mm f/1.8D lens
- +PC-based control software
- +DLP micromirror control (binary patterns, 8-bit gray scale, & video projection mode)
- +Power supplies included

DLP® LightCommander™ System Block Diagram



DLP LightCommander Development Kit Ordering Information

Model Number	Recommended Resale
DLP-LC-DLP5500-10R	

The DLP LightCommander includes both the DMD Board and Controller Board.

Controller Board Ordering Information

Model Number
DLP-CB-DLPC200-10R

The Controller Board is available for purchase in production volumes—contact Logic PD Distributors.
The DMD Board is available through a Support Contract with Logic PD—contact Logic PD Sales for details.

DMD Board Ordering Information

Model Number
DLP-DMD-DLP5500-10R

Product Features

Modules

- +Core DLP optical module
- +Solid state illumination module

DMD Board Device

- +DLP5500 (0.55 XGA Series 450 DMD)

Controller Board Devices

- +DLPC200 (DLP5500 Controller)
- +DLPA200 (DMD Analog Driver)

Controller Board External Interfaces

- +Three user sync ports
- +HDMI input
- +USB control input

Controller Board Internal Interfaces

- +Parallel RGB 8-bit interface
- +SPI serial interface
- +LED control interface

Optical Interfaces & Mounts

- +Interchangeable lens mount (Nikon F-Mount)
- +Defined illumination interface
- +Flexible optical mount options

Lens

- +Nikon AF NIKKOR 50mm f/1.8D lens

Power

- +Three internal power supplies

Cables

- +USB A to mini-B cable
- +DVI to HDMI cable
- +Power cables

Software

- +PC-based control software

Mechanical

- +241(w) x 463(l) x 179(h) mm
- +9.5 kg

RoHS Compliant



411 N. Washington Ave. Suite 400 Minneapolis, MN 55401

T : 612.672.9495 F : 612.672.9489 I : www.logicpd.com

LOGIC PD WEBSITE :: DESIGN RESOURCES:

- +Logic PD Products : www.logicpd.com/products
- +Logic PD Technical Support : www.logicpd.com/product-support
- +For more information contact Logic PD Sales : product.sales@logicpd.com

© 2011 Logic PD, Inc. All rights reserved.

PN: 1015610 Rev B

