



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



USB Cable and Charger Tester – qualMeter (Basic)

SKU:FIT0517



INTRODUCTION

qualMeter is an easy and cost-efficient DIY device, which can help you to simply diagnose the quality of your USB charging cable and charger in a glance.




Unlike those expensive and bulky professional devices, qualMeter intends to provide a compact (portable), easy and simple solution at a fairly low cost. It's designed for non-tech people but can be very handy to tech-savvies for roughly testing as well.

There are no numbers to read, no buttons, no extra operations, no calculations and no technical background is needed. All you need to know is just colors, the Green, Yellow and Red, which correspond to Best(Good), Fair (OK) and Worst(Bad). That's it!

You see the colors; you see the quality of your cable and charger.

qualMeter handles a wide range of mainstream USB charging cables. It also tests loading capability of the 5V chargers to roughly define their quality.



A smart device for smart decisions

qualMeter has embedded a smart, ultra-low power Micro-Processor. It works seamlessly to provide two major functions, Cable Test mode and Charger Test mode.

There are no number readings and no calculations! qualMeter directly tells you the testing results by LEDs. It's really that simple and easy!

The qualMeter series has two main family members: qualMeter Basic and qualMeter X.

Items	qualMeter Basic	qualMeter X
Main Material	Raw PCB (CCL FR-4) Pb free	Raw PCB (CCL FR-4) Pb free Transparent PC
Color (PCB)	Blue	Red
Surface Marking Treatment	Gold coated marking	
Dimension (USB Type A Female not included)	52.8mm x 23.8mm x 11mm	62.8mm x 32.8mm x 15.8mm
Power Input	USB Type A Reversible Male Connector	
Input Voltage	4.5-5.5Vdc	
Cable Test Connectors	USB Type A Female, Micro-USB Type A Female Mini-USB Female, 30-pin Female and 8-pin Female	USB Type A Female, Micro-USB Type A Female Mini-USB Female, 30-pin Female, 8-pin Female and 2x USB Type-C Female
Cable Test Current	1A@5Vdc	1A or 2A@5Vdc Auto determination of testing current
Charger Output Test Range	1A/2.1/2.4/3A (4 stops)	1-3.1A, 100mA each step with Compensation Indicator
LED Indicators	Green x2(Good), Yellow x2(Fair), Red x2(Worst), Blue x2(Cable Test) and Orange x1(Charger Test)	Green x2(Good/400mA/300mA), Yellow x2(Fair/200mA/100mA), Red x2(Worst), Blue x2(Cable Test) and Orange x6(Charger Test)

qualMeter Basic is designed for non-tech people who have very limited knowledge on electronics.
qualMeter X is more for people who wanted to know more about your charging environment.

Functions	qualMeter Basic	qualMeter X
Easy LED Indicators	Y	Y
Support MicroUSB, MiniUSB, 8-pin, 30-pin	Y	Y
Reversible USB Type A input port	Y	Y
Basic Cable Testing @1A	Y	Y
Cable Shielded Test	Y	Y
Cable Short Circuit Test	Y	Y
Basic Charger Test @1A	Y	Y
Plug n Play	Y	Y
Advanced Charger Testing @1-3.1A	Y (Partial), 4 stops with miniLoad	Y (Full Range), 100mA each stop
MCU (Micro-Processor)	8-bit, 8MHz	32-bit, 48MHz
Support USB Type-C	N	Y, 2 ports
Advanced Cable Testing (up to 2A)	N	Y
Adjustable Electronic Load	N	Y
Charger Output Compensation Test	N	Y
Flash memory	N	Y
Enclosure	N	Y
Extension Port for Future Functions	N	Y
Firmware Upgradeable	N	Y

The charger testing range is extendable to 2.1/2.4/3A by adding specially designed miniLoad.

SHIPPING LIST

- USB Cable and Charger Tester – qualMeter (Basic) x1

<https://www.dfrobot.com/product-1640.html> 11-2-17