



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## mikromedia 7 for STM32 Shield

PID: MIKROE-2812

**mikromedia 7 for STM32 Shield** is the perfect way to expand the functionalities of your mikromedia 7 for STM32F4 and mikromedia 7 for STM32F7 with five mikroBUS™ sockets - add any functionality from our ever-growing range of click boards™. We are fully stocked with everything from sensors and wifi transceivers to motor control and audio amplifiers.

[Click here](#) to learn more about the mikromedia 7 for STM32F4 and mikromedia 7 for STM32F7.

What's on the board

Take a look at the video, and find out what the mikromedia 7 for STM32 Shield has to offer.

The board features a UART select jumper, 5 mikroBUS™ sockets, connection pads, FTDI USB-UART converter and an external power supply screw terminal.

[click board™ range](#)

As you already know, our click board™ range is constantly growing - hundreds of different functionalities are available in our store. From sensors and wireless transceivers to motor control and LED displays.

## UART interfaces

There are 2 UART interfaces available on the shield, routed from the mikromedia 7 for STM32. One of the mikroBUS™ slots - mikroBUS 5 - can have either one of the two UART lines routed to the mikromedia 7 for STM32, selectable by the mikroBUS™ 5 UART jumper selector. Other 4 mikroBUS™ slots are hardwired to one UART only.

The shield also has the FT232 USB to UART circuit on board. Its RX and TX lines can also be routed to any of the two UART interface lines of the mikromedia 7 for STM32, by using the UART SELECT jumper selectors. The integrated USB to UART interface is very handy for connecting the shield to the computer and reading UART data on any UART terminal - it is recommended to use the UART terminals, found in every MikroElektronika compiler since those terminals are easy to use and are optimized for working in embedded development environment.

**Note:** If the WiFi SMD jumper is set to enable the WiFi on the mikromedia for STM32, one of the UART lines won't be available on the shield.

## Specifications

Type	Shield
Applications	The Shield provides the most convenient way for connecting click boards™ to your mikromedia 7 for STM32F7 and mikromedia 7 for STM32F4
On-board modules	5 mikroBUS™ sockets, external power supply screw terminal, UART selection, FTDI USB-UART converter, micro USB connector, two 1x26 headers - mikromedia standard pinout
Compatibility	mikromedia