imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



EVBUM2294/D

PYTHON Image Sensor Evaluation Kits

Description

ON Semiconductor PYTHON Image Sensor Evaluation Kits enable customers to easily and quickly evaluate the performance of the PYTHON CMOS Image Sensors without the need to develop a full camera design. When combined with ON Semiconductor Sensor Studio II software, this hardware allows full control of the image sensor's register settings and enables video recording, still image capture, and image analysis. With this level of programmability, CMOS sensor functionality such as global shutter, very fast frame rate, high NIR sensitivity, and multiple regions of interest can be rapidly evaluated.

Features

- Full Access to Image Sensor Register Settings
- Supports HDR Operation and ROI Readout
- USB Interface for Sensor Control, Image Capture, and Firmware Downloads
- Socketed Sensor* for Easy Sensor Replacement
- Integrated Tripod Mount (1/4–20 thread)
- Additional Headboards (sold separately) Allow Evaluation of Multiple PYTHON Products
- Lens Mount Kit (sold separately) Provides Support for C and F Mount Lenses, Includes IR Cut Filter for Color Imaging Evaluation

Kit Includes

- Image Capture Board with Integral Tripod Mount
- Headboard (Sensor installed & Lens Mount affixed)
- USB 3.0 Cable (2 meter length)
- Quick Start Guide

*Not applicable to PYTHON 480 kit

GENERAL SPECIFICATIONS

Parameter	Typical Value
Hardware Interfaces	USB 3.0, USB 2.0
Typical Data Rate (USB 3.0)	Up to 300 Mb/sec (Varies with USB Adapter used)

KIT SPECIFIC SPECIFICATIONS

Evaluation Kit	PYTHON 480	PYTHON 1300	PYTHON 5000	PYTHON 25k
LVDS Lanes	1	4	8	32
Max Frame Rate, Full Resolution (fps)	120	168	82	35
Display Frame Rate, Full Resolution, USB 3.0 (fps)	62	26	6.8	1.6
On Board Buffer Capacity, Full Resolution (Frames)	256	64	32	8
Included Lens Mount	C mount	C mount	C mount	F mount
Compatible with Optional Lens Mount Kit	No	Yes	Yes	Yes



ON Semiconductor®

www.onsemi.com

EVAL BOARD USER'S MANUAL




Figure 1. PYTHON Image Sensor Evaluation Board

EVBUM2294/D

ORDERING INFORMATION

Part Number	Description	Compatible Devices (Sold Separately)
NOIP1SN0480A-STI-A-GEVK	PYTHON 480 (SVGA) Monochrome Image Sensor Evaluation Kit (Image Sensor Included)	N/A
NOIP1SE0480A-STI-A-GEVK	PYTHON 480 (SVGA) Color Image Sensor Evaluation Kit (Image Sensor Included)	N/A
NOIP1SN1300A-QDI-A-GEVK	PYTHON 1300 (1.3 MP) Monochrome Image Sensor Evaluation Kit (Image Sensor Included)	PYTHON 300, PYTHON 500
NOIP1SN5000A-QDI-A-GEVK	PYTHON 5000 (5.3 MP) Monochrome Image Sensor Evaluation Kit (Image Sensor Included)	PYTHON 2000 LCC
NOIP1SN025KA-GDI-A-GEVK	PYTHON 25K (26.2 MP) Monochrome Image Sensor Evaluation Kit (Image Sensor Included)	PYTHON 10K, PYTHON 12K, PYTHON 16K

OPTIONAL HARDWARE ORDERING INFORMATION

Part Number	Description	Compatible Devices (Sold Separately)
NOIP1SN0480A-STI-HEAD-BD-A- GEVK	PYTHON 480 Monochrome Headboard (Image Sensor Included)	N/A
NOIP1SE0480A-STI-HEAD-BD-A- GEVK	PYTHON 480 Color Headboard (Image Sensor Included)	N/A
NOIP-48PIN-HEAD-BD-A-GEVB	48-Pin Headboard Only (Image Sensor Not Included)	PYTHON 300, PYTHON 500, PYTHON 1300
NOIP-84PIN-HEAD-BD-A-GEVK	84-Pin Headboard Only (Image Sensor Not Included)	PYTHON 2000 LCC, PYTHON 5000 LCC
NOIP-355PIN-HEAD-BD-A-GEVB	355-Pin Headboard Only (Image Sensor Not Included)	PYTHON 10K, PYTHON 12K, PYTHON 16K, PYTHON 25K
LENS-MOUNT-KIT-D-GEVK	Lens Mount Kit to Support C and F Mount Lenses (Includes IR Cut-Filter)	All PYTHON evaluation kits and headboards other than PYTHON 480

REQUIRED HARDWARE AND SOFTWARE

Host Computer

- 2 GHz processor, 8 GB RAM, USB 2.0 / 3.0 interface, Windows 7 Operating System (64 bit)
- Sensor Studio II software. Available for <u>download</u> at <u>www.onsemi.com</u>.

For Maximum Speed

• Native USB 3.0 chipset

Other (User Supplied)

- +12 VDC, 2 Amp, power supply with 2.1 mm center positive DC jack
- Camera lens
- IR cut filter (required for evaluating color image sensors)
- Table-top tripod (optional)

ON Semiconductor and are trademarks of Semiconductor Components Industries, LLC dba ON Semiconductor or its subsidiaries in the United States and/or other countries. ON Semiconductor owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of ON Semiconductor's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. ON Semiconductor reserves the right to make changes without further notice to any products herein. ON Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ON Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using ON Semiconductor. "Typical" parameters which may be provided in ON Semiconductor data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. ON Semiconductor does not convey any license under its patent rights or the rights of others. ON Semiconductor products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use ON Semiconductors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized application is semiconductor was negligent regarding the design or manufacture of the part. ON Semiconductor is an E

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT

Literature Distribution Center for ON Semiconductor 19521 E. 32nd Pkwy, Aurora, Colorado 80011 USA Phone: 303–675–2175 or 800–344–3860 Toll Free USA/Canada Fax: 303–675–2176 or 800–344–3867 Toll Free USA/Canada Email: orderlit@onsemi.com N. American Technical Support: 800–282–9855 Toll Free USA/Canada Europe, Middle East and Africa Technical Support:

Phone: 421 33 790 2910

ON Semiconductor Website: www.onsemi.com

Order Literature: http://www.onsemi.com/orderlit

For additional information, please contact your local Sales Representative